# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



FIFTY-FIRST ANNUAL PRICE - LIST

OF

# Hardy Trees, Shrubs, Vines Flowers and Fruits



THE READING NURSERIES

J. WOODWARD MANNING, Prop.

READING, MASS.

# Advice to Correspondents

# Please Carefully Observe the Following

TERMS.—Cash in advance from all unknown correspondents, or satisfactory references. When goods are ordered to be sent C. O. D. we require one-fourth of the amount in advance, and we shall add the return express charges on the money to the bill.

REMIT.—Large amounts by cashier's check on any bank in Boston, New York, or Reading. Smaller amounts by Registered Letter or Money Order on Reading.

SHIPPING DIRECTIONS.—Where no directions are given as to mode of conveyance we will use our best judgment in the matter.

PACKING.—Goods are packed in bales or boxes in the best possible manner. We make a charge for the extra material and labor to cover the actual cost.

<u>DELIVERY.</u>—All goods delivered to freight or express station at Reading free of cost. Our responsibility for the safe delivery of the goods to the consignees ends here.

ERRORS.—Any errors that may occur in filling orders should be reported to us at once. Complaints entered after the goods have been in the purchaser's hands ten days cannot be entertained.

GUARANTEE.—We guarantee all trees and plants true to name and in good condition on leaving our hands. In case any mistake should happen in the naming of a plant we will replace it with the true variety as ordered, but we are not liable to more than its original invoice value in refunding money.



#### Commonwealth of Massachusetts

[SEAL]

#### STATE BOARD OF AGRICULTURE

Official Certificate No. 60.

Boston, Sept. 1, 1904.

## To Whom It May Concern

This is to Certify that I have this first day of September, 1904, completed the inspection of the nursery stock of Jacob W. Manning, grown at Reading, State of Massachusetts, and find it to be apparently free from the San Jose scale and other injurious insects and diseases which might be transferred on nursery stock from the nursery to the orchard or garden.

This certificate is good until July 1, 1905.

Inspected by [Signed] H. T. FERNALD,
Deputy E. A. Back. Inspector.

# The Reading Nurseries

\* \* \*

THE Reading Nurseries have been established fifty-one years. During this period nearly every known hardy tree, shrub, fruit or flower has been given a full test, as to its adaptability to New England climatic or soil conditions.

In succeeding the late Jacob W. Manning in the ownership of these nurseries, it will be my endeavor to maintain the most unique collection of ornamental plants in New England, not in wholesale quantities of any one kind, for I do not wish to place myself in the position of being forced to dispose of a surplus, but that customers may find here the choicest plants, from the standpoint of rarity or unusually well-developed specimens in size, with which to create unusual and immediate effects.

No attempt will be made to raise cheap material, for such can be purchased and supplied from other sources to far greater pecuniary advantage to myself than for me to attempt to cover a large nursery area with such stock, which generally brings less return than the expense of raising. On the other hand, while my rates may appear high for that better class of plants that I shall grow under my own supervision, actually such material is by far the most economical in its quicker results.

Advantage will be taken of the wide experience I have had in landscape gardening undertakings of the past to create of the nursery a place of interest, laid out with a view of showing the best features of plants at all seasons, and their proper grouping and arrangement; and it is expected that this feature will be of the greatest value to customers in the selection of their needs.


Visitors are welcome at all times.

J. WOODWARD MANNING.

### PRICE LIST OF DECIDUOUS TREES

References — Lg., Trees 50 feet or more high at maturity. Med., Trees 25 to 50 feet high at maturity. Sm., Trees less than 25 feet high at maturity. Sp., Spring; Sum., Summer; and Aut., Autumn-flowering, where flowers are a feature.

	EACH.	TEN.
ACACIA see Locust. ACER see Maple		
AESCULUS see Horsechestnut		
AILANTHUS (Ailanthus) or TREE OF HEAVEN		
Common (A. glandulosa). Med. Showy foliage. 6 to 8 ft ALDER (Alnus) European (A. glutinosa). Med. 6 to 8 ft Cut-leaved (A. g. imperialis). 4 to 6 ft	\$0.50	\$4.50
ALDER (Alnus)		
European (A. glutinosa). Med. 6 to 8 ft	1.00	
Cut-leaved (A g. imperialis). 4 to 6 ft.	1.00	
ALNUS see Alder. AMYGDALUS see Peach		
ANDROMEDA see Sorrell Tree and Shrubs		
APPLE Flowering see Crabs		
ARALIA (Aralia) or Hercules Club or Angelica Tree		
Common (A. spinosa) Sm. Beautiful foliage. 2 to 4 ft	.50	
Mandchurian (A chinensis mandschurica). Sm. 2 to 4 ft	1.00	
ASH (Frazinus) See also Street Shade Trees	1.00	
ASH (Fraxinus). See also Street Shade Trees	.75	5.00
Furonoan (F ercelsion) La 6 to 8 ft	1.00	7.50
Weeping (F. e. pendula). Sm. 2 yr. grafts.  Flowering (F. ornus). Sm. white flowers. 6 to 8 ft	1.50	1,00
Flowering (F ornus) Sm white flowers 6 to 8 ft	1.00	
Green (h. viridis). Lg. 6 to 8 feet	1.00	0.00
ASH, MOUNTAIN (Sorbus)	1.00	7.50
American (S. americana) Sm. 4 to 6 ft	1.00	
American (S. americana). Sm. 4 to 6 ft European (S. aucuparia). Med. 6 to 8 ft		0.00
Wooning (S. a mendeda) Sm. 2 m heads 6 to 7 ft	1.25	6.00
Weeping (S. a. pendula). Sm. 2 yr heads. 6 to 7 ft Oak-leaved (S. hybrida). Med. 5 to 7 ft		
Oak-leaved (S. hyprian). Med. 5 to 1 it.	.75	
All showy in foliage, flower and fruit.		
ASH, Prickly (Xanthoxylum americanum). Sm. 3 to 5 ft BALM OF GILEAD see Poplar. BASSWOOD see Linden	.75	6.00
BALM OF GILEAD see Poplar, BASSWOOD see Linden		
BEAM TREE (Sorous araia). Sm. Silver ionage. 4 to 6 it	1.00	
BEAM TREE (Sorbus araia). Sm. Silver foliage. 4 to 6 ft  BEECH (Fagus).  American (F. ferruginea). Lg. 3 to 4 ft		
American (F. Jerruginea). Lg. 3 to 4 it	.75	6.00
European (F. sylvatica). Lg. 3 to 4 ft	.50	4.00
Fern-leaved (F. s. heterophylla). Med. 2 to 3 ft	1.00	
Copper-leaved (F. s. purpurea). Med. 3 to 4 ft	1.00	
River's Purple-leaved (F. s. Riversii). Lg. 3 to 4 ft	1.50	
The richest purple-leaved form. 4 to 5 ft	2.00	
Weeping (F. s. pendula). Lg. 3 to 4 ft	1.50	
A grotesque lawn tree 5 to 6 ft	2.00	
Blue or Water see Hornbean		
BETULA see Birch. BILSTEAD see Gum		
BIRCH (Betula)		
Black or Sweet (B. lenta). Lg. 3 to 5 ft. Canoe or Paper (B. papyracea). Lg. 4 to 6 ft. Purest white bark at maturity. 6 to 8 ft. Dwarf (B. glandulosa). Dwf. Bush-like habit. 2 to 3 ft. European, White (B. alba). Med. 4 to 6 ft.	.75	6.00
Canoe or Paper (B. papyracea). Lg. 4 to 6 ft	.75	6.00
Purest white bark at maturity. 6 to 8 ft	1.00	
Dwarf (B glandulosa). Dwf. Bush-like habit. 2 to 3 ft	.75	
European, White (B. alba). Med. 4 to 6 ft	50	4.50
Rapid growth, graceful habit. 6 to 8 ft	1.00	7.50
Cut-leaved Weeping (B. a. laciniata pendula) 4 to 6 ft.	1.00	
White bark, fern-like foliage. 6 to 8 ft	2.00	
Rapid growth, graceful habit. 6 to 8 ft.  Cut-leaved Weeping (B. a. luciniata pendula) 4 to 6 ft.  White bark, fern-like foliage. 6 to 8 ft.  Pyramidal (B. a. fastigiata). Med. 3 to 4 ft.  Purple-leaved (B. a. purpurea). Med. 3 to 4 ft.  Young's Weeping (B. a. Youngi). Sm. 3 to 4 ft.  Grey (B. poputifolia). Med. 3 to 5 ft.  Red or River (B. rubra or niura). La. 3 to 4 ft.	1.00	
Purple-leaved (B. a. purpurea). Med. 3 to 4 ft	1.00	
Young's Weeping (B. a. Youngii). Sm. 3 to 4 ft	1 00	
Grey (B. populifolia). Med. 3 to 5 ft	.50	4.00
Red or River (B. rubra or nigra). Lg. 3 to 4 ft	.50	
Shaggy reddish bark. Picturesque habit. 4 to 6 ft	1,00	4.00
Shaggy reddish bark. Picturesque habit. 4 to 6 ft. Yellow (B. lutea). Lg. Ragged yellowish bark. 3 to 4 ft BOX ELDER see Maple, Negundo	.50	4.00
BOX ELDER see Maple, Negundo		-
BUCKEYE see Horsechestnut		
BURNING BUSH see Spindle Tree BUTTERNUT see under Walnut		
BUTTERNUT see under Walnut		
BUTTON WOOD see Plane		
CARAGANA see Siberian Pea Tree		
CARPINUS see Hornbean		
CARYA see Hickory		



#### FLOWERING CRABS.

For ornamental lawn planting nothing is more appropriate for spring blooming effect than the Flowering Crabs. Quick growing, forming broad, low-branched trees with clean, healthy foliage; they produce a marvelous profusion of fragrant flowers just in advance of or with the unfolding leaves in colors varying from purest white to deepest rose-crimson. In mid-summer their abundant fruits become conspicuous in color, and take on varied shades of yellow, red and even the deepest crimson, and remain in showy effect until after frost. The following are especially recommended:

- THE SIBERIAN CRAB (P. baccata), a small, upright growing tree, with broad, soft light green foliage, and purest white, fragrant flowers in June, followed by showy orange and crimson fruits. (See cut.) 50 cts. each.
- THE JAPANESE CRAB (P. floribunda), a broad-spreading, low-branched, globular lawn tree with deep, glossy green foliage. Flowers white or rose, deeply flaked and shaded with crimson, followed by innumerable crimson and brown minute "apples" borne in profusion to bend the branches, and retained long into the winter. 50 cts. each.
- THE TORINGO CRAB (P. toringo). Intermediate in form and size between the two above, and simply loaded under its profusion of pink or red flowers in late May and early June. 50 cts. each.
- SCHEIDECKER'S CRAB (P. malus Scheideckeri). A choice new lawn tree of German origin, of upright habit, the foliage similar to that of the orchard apple, but with quite double, deep-red flowers changing with age to rosy pink. \$1.00.
- NEIDWEITSK'S CRAB (Pyrus Neidweitskiana). A very rare Asiatic species with thin, dark-green foliage. Flowers single, borne profusely and of the deepest color of any of the flowering crabs. Purplish red. \$1.00 each.

CATAIDA (Catalaa)	EACH.	TEN
CATALPA (Catalpa)	\$ .75	\$6.00
Bunga (Ch mana) Durf Standards 2 vr grafts	2.00	40.00
Globular heads of showy foliage. Dwarfs	1.00	
Golden-leaved (C. b. aurea). Sm. 3 to 5 ft	1,00	
Purple-leaved (C. b. purpurea). Med. 3 to 5 ft	1.00	
Western (C. speciosa). Lg. Sum. 6 to 8 ft	1.00	8.00
Globular heads of showy foliage. Dwarfs.  Golden-leaved (C. b. aurea). Sm. 3 to 5 ft.  Purple-leaved (C. b. purpurea). Med. 3 to 5 ft.  Western (C. speciosa). Lg. Sum. 6 to 8 ft.  Japanese (C kaempferii). Med. Sum. 6 to 8 ft.	1.00	
All with broad foliage and showy flowers.		
All with broad foliage and showy flowers.  CELTIS see Nettle Tree. CERASUS see Cherry.  CERCIDIPHYLLUM see Katsura Tree.  CERCIS see Judas Tree.  CHERRY (Prunus including Cerasus).  Bird, American (P. virginiana). Sm. Spg. 3 to 4 ft.  European (P. padus). Med. Spg. 3 to 4 ft.  Black (P. serotina). Lg. Spg. 4 to 6 ft.  Double-white, Sweet (P. avium, ft, pt.) Lg. Spg. 4 to 6 ft.  Japanese Weeping (P. japonica pendula). S. 3 to 4 ft.  Rose-flowered. Choice pink variety. 2 yr. grafts.  Siebold's Double (P. pseudo-cerasus). Sm. 2 to 4 ft.  Double White or Double Red. 4 to 6 ft.  Ranunculus-flowered (P. caproniana Rhexii). Sm. Sum.  2 to 4 ft.		
CERCIDIPHYLLUM see Katsura Tree		
CERCIS see Judas Tree		
CHERRY (Prunus including Cerasus)		
Bird, American (P. virginiana). Sm. Spg. 3 to 4 ft	.50	4.00
European (P. padus). Med. Spg. 3 to 4 ft	.50	
Black (P. serotina). Lg. Spg. 4 to 6 ft	.50	4.50
Double-white, Sweet (P. avium, fl., pl.) Lg. Spg. 4 to 6 ft.	.75	
Japanese Weeping (P. japonica pendula). S. 3 to 4 ft	1.00	
Rose-flowered. Choice pink variety. 2 yr. grafts	1.50	
Siebold's Double (P. pseudo-cerasus). Sm. 2 to 4 it	.50	
Double White or Double Red. 4 to 6 it	1.00	
Ranunculus-nowered (P. caproniana Knexii). Sm. Sum,	4 00	
CITTECHNITITH (C )	1.00	
CHESTNUT (Castanea)	×0	
American, Sweet (C. americana). Lg. Sum. 4 to 6 it	.50	4.60
Tomorogo (C. ignorias) M.J. Com. 244 4 ft	1.00	8.00
Chinaminin (d. aurilla) Con Com Dave back abilit	1.00	4.00
CI ADD A STILL and Vollow wood	.50	4.00
American, Sweet (C. americana). Lg. Sum. 4 to 6 ft. Choice native lawn tree. Showy flowers. 6 to 8 ft.  Japanese (C. japonica). Med. Sum. 3 to 4 ft. Chinquipin (C. pumilla). Sm. Sum. Dense bushy habit.  CLADRASTIS see Yellow-wood.  COTTON WOOD see Poplar. CORNUS see Dogwood		
COFFEE TREE (Commodadae)		
Kentucky (G. canadensis) Med. Showy foliage 3 to 5 ft	.75	
COPK TOFF (Phellodendron)	.10	
Chinoso (P amureneis) Mad Sum Showy foliage 5 to 7 ft	1 00	
COTTON WOOD see Popliar. CORNUS see Dogwood  COFFEE TREE (Gymnocladus).  Kentucky (G. canadensis). Med. Showy foliage. 3 to 5 ft  CORK TREE (Phellodendron).  Chinese (P. amurensis). Med. Sum. Showy foliage. 5 to 7 ft  CRAB (Pyrus or Malus).  Siberian (P. baccala). Med. Spg. Fragrant white flowers  Flowering (P. floribunda). Sm. E. Sum. Red and white  Hall's (P. f. halliana). Sm. E. Sum. Crimson and white  Blood-red (P. f. atrosanquinea). Sm. E. Sum.	1 00	
Siberian (P haccata), Med. Spg. Fragrant white flowers	.50	4.00
Flowering (P. floribunda) Sm. E Sum. Red and white	.75	6.00
Hall's (P. f. halliana), Sm. E. Sum Crimson and white	.75	0.00
Blood-red (P. f. atrosanguinea). Sm. E. Sum	.75	
Parkman's (P. f. Parkmanni). Sm. E. Sum. Choice and rare	1.00	
Sweet-scented (P. ioensis or coronaria). Sm. E. Sum.		
3 to 4 ft	.50	
Bechtel's (P. i. bechtelli). Sm. E. Sum. Double, flesh color	.75	
Toringo (P. toringo). Sm., E. Sum. Pink and white. 3 to 4 ft	.50	4.50
Parkman's (P. f. Parkmanni). Sm. E. Sum. Choice and rare Sweet-scented (P. ioensis or coronaria). Sm. E. Sum. 3 to 4 ft.  Bechtel's (P. i. bechtelli). Sm. E. Sum. Double, flesh color Toringo (P. toringo). Sm. E. Sum. Pink and white. 3 to 4 ft Chinese Double (P. spectabilis fl. pl.) Sm. S. Sum. 3 to 5 ft.	.50	
Either double pink or double white.		
All the flowering Crabs are beautiful small lawn trees bloom-		
ing most prolifically in late May and early June.		
All the nowering craos are beautiful small lawn trees blooming most prolifically in late May and early June.  CUCUMBER TREE see Magnolia.  CYPRESS (Taxodium and Glyptostrobus).  Bald (T distichum) Med. Finely-cut foliage. 3 to 4 ft		
CYPRESS (Taxodium and Glyptostrobus)		
Bald (T distichum) Med. Finely-cut foliage. 3 to 4 ft	1.00	
Weeping (T. d. pendulum). Beautiful habit. 3 to 4 ft	2.00	
CYTISUS see Laburnum		
DIMORPHANTUS see Araha, Chinese		
DIMORPHANTUS see Aralia, Chinese  DOGWOOD (Cornus). See also in Deciduous Shrubs  White-flowering (C. floridus). Sm. Spg. 3 to 4 ft. Pink-flowering (C. f. rosea). Choice. 2 to 3 ft.  Weeping (C. f. pendula). 2 to 3 ft.  Alternate-leaved (C. alternifolia). Sm. Sum.		
White-nowering (C. floridus). Sm. Spg. 3 to 4 ft	1.00	6.00
Pink-nowering (C. J. rosea). Choice. 2 to 3 it		
Weeping (C. J. penaula). 2 to 3 it	1.50	
Kausa (C. laura et Parthamia imperior) Sm. Sum	.50	4.00
	1.00	
ELM (Ulmus).  American (Ulmus americana). Lg. 6 to 8 ft	~~	0.00
	.75	6.00
See Street Shade Trees for large grades.	1.00	0.00
Corl-Ranked (U. a. subgrass) 6 to 8 ft	1.00	8.00
Broad-leaved (U. a. latifolia) La 6 to 8 4	1.00	
Golden-leaved (U. a. van houttein) Sm. 2 to 4 th	1.00	
Scotch (U seabra) La 6 to 8 ft	1.50	6 00
See Street Shade Trees for large grades.  English (U. campestris). Lg. 6 to 8 ft.  Cork-Barked (U. c. suberosa). 6 to 8 ft.  Broad-leaved (U. c. latifolia). Lg. 6 to 8 ft.  Golden-leaved (U. c. van houtteit). Sm. 3 to 4 ft.  Scotch (U. scabra). Lg. 6 to 8 ft.  Purple-leaved (U. s. strongmarea). Med. 5 to 7 ft.	1.00	6.00

#### SPECIMEN TREES.

Finely developed, frequently transplanted specimen trees of the following, can be supplied direct from the nursery, and will help to create that feature of immediate effect, that is so desirable on new estates. Special care is exercised in the digging, packing and transportation

Each.	Each.
AMERICAN ELM.	SCOTCH ELM.
12 to 14 ft \$2.00	12 to 14 ft \$3.00
14 to 16 ft 3.00	ROCK MAPLES.
16 to 18 ft 5.00	12 to 14 ft \$2.00
18 to 20 ft 7.50	14 to 16 ft 4.00
WEIRS CUT-LEAVED	16 to 18 ft 8.00
MAPLE.	NORWAY MAPLES.
10 to 12 ft \$2.50	12 to 14 ft \$2.00
12 to 14 ft 5.00	14 to 16 ft 3.00
	16 to 18 ft 5.00
ENGLISH WHITE BEECH.	18 to 20 ft 10.00
4 to 6 ft \$3.00	
6 to 8 ft 5.00	YELLOW-WOOD.
EASTERN CATALPA.	
10 to 12 ft \$1.50	
12 to 14 ft 2.50	16 to 18 ft 7.50 18 to 20 ft 10.00
14 to 18 ft 5.00	
16 to 18 ft 7.50	ENGLISH BEECH.
JAPANESE CATALPA.	6 to 8 ft \$2.00
10 to 12 ft \$5.00	8 to 10 ft 4.00
12 to 14 ft 7.50	10 to 12 ft 6.00
	14 to 16 ft 10.00
AMERICAN ASH.	HONEY LOCUST.
10 to 12 ft \$2.00	8 to 10 ft \$1.50
12 to 14 ft 3.00	10 to 12 ft 2.00
14 to 16 ft 5.00	12 to 14 ft 3.00
16 to 18 ft 7.50	ENGLISH OAK.
BALSAM POPLAR.	12 to 14 ft \$5.00
16 to 20 ft \$10.00	14 to 16 ft 7.50
RED OAK.	110101010
8 to 10 ft \$2.50	LAUREL OAK.
10 to 12 ft 5.00	12 to 14 ft
	14 to 16 ft 7.50
EUROPEAN LINDEN.	SILVER LINDEN.
14 to 16 ft\$10.00	14 to 16 ft\$10.00

Special rates per dozen or hundred.

ELM — Continued.	EACH.	TEN
Camperdown wpg. (U. s. pendula). Sm. 2 vd. hds	\$ 1.50	
	1.00	
Bock (U racemosa). Lo. 4 to 6 ft.	1.00	
Slippery (II fulva) La 4 to 6 ft	1.00	
Rock (U. racemosa). Lg. 4 to 6 ft. Slippery (U. fulva). Lg. 4 to 6 ft. Slippery (U. fulva). Lg. 4 to 6 ft. EMPRESS TREE (Paulownia imperialis). Med. 4 to 6 ft. EUONYMUS see Spindle Tree. FAGUS see Beech. FRAXINUS see Ash. FRINGE TREE (Chionanthus and Rhus). Purple (R. cotinus). Sm. Sum. 2 to 3 ft. White (U. Virginicus). Sm. Sum. 2 to 3 ft. GINKGO TREE (Ginkay or Salisburia).	1.00	
ELLONYMIIS see Spindle Tree FAGIIS see Beach	1.00	
FDA VINITE son Ach		
FDINGE TPEE (Chicagnthus and Phys)		
Primale (P. cotings) Sm. Sum. 2 to 2 ft	=0	
Typic (n. counts), Sm. Sum. 2 to 3 to	.50	00
Winte (C. Virginicas). Sm. Sum. 2 to 3 it	.50	5.00
GINKGO TREE (Ginkgo or Salisburia).  Maiden-hair Tree (G. biloba). Med. 5 to 6 ft.  GLEDITS OHLA see Locust.  GLYPTOSTROBUS see Cypress.	~~	
Maiden-hair Tree (G. 60060a). Med. 5 to 6 ft	.75	
GLEDITSCHIA see Locust.		
GLYPTOSTROBUS see Cypress		
GOLDEN CHAIN see Laburnum		
GOLDEN CHAIN see Laburnum GUM (Liquidamber). Sweet (L. styracifua). Med. 5 to 7 ft. GYMNOCLADUS see Coffee Tree.		
Sweet (L. styraciflua). Med. 5 to 7 ft	1.00	
GYMNOCLADUS see Coffee Tree		
HACKBERRY see Nettle Tree		
HACKMATACK see Larch. HAWTHORN see Thorn		
HICKORY (Hickoria)		
Shellbark (H. alba), Med. 2 to 4 ft.	.75	
HOP TREE (Ptelia)	,,,,	
GYMNOCLADUS see Cottee Tree.  HACKBERRY see Nettle Tree.  HACKMATACK see Larch. HAWTHORN see Thorn.  HICKORY (Hickoria)	,50	4.00
Golden-leaved (P t garage) 2 to 4 ft	.75	1.00
HORNBEAM (Carpinus and Ostrya)	.10	
Common or Place Booch (Completions) Med 2 to 5 ft	50	
Common or Blue Beech (C. caroliniana). Med. 3 to 5 ft European (C. betulus). Sm. 3 to 5 ft Hop. (Ostyra virginica) Sm. 2 to 4 ft	.50	
Luropean (C. beluus). Sm. 3 to 3 it	.50	
HOD. (Ostyra virginica) Sm. 2 to 4 ft	.50	
Valuable for shady situations.		
HORSECHESTNUŤ (Aesculus includes Pavia)		-
European (Ae. hippocastaneum). Lg. Spg. 6 to 7 ft	1.00	9.00
Double-Flowered (Ae. h. fl. pl). Med. 5 to 6 ft	1.00	
European (Ae. hippocastaneum). Lg. Spg. 6 to 7 ft  Double-Flowered (Ae. h. fl. pl). Med. 5 to 6 ft  American or Buckeye (Ae. glabra). Med. 5 to 6 ft	.75	
Red-Flowering (Ae. carnea or rubicunda). Med. E. Sum.  Dwarf (Ae. parviflora). Dwf. Sum. Choice. 2 to 3 ft  JUDAS TREE (Cercis) or RED BUD  American (C. canadensis). Sm. Spg. 4 to 5 ft  Japanese (C. japonica). Dwf. Spg. 2 to 3 ft  JUGLANS see Walnut  KATSULDA TREE (Considirabillum)	1.50	
Dwarf (Ae. parviflora). Dwf. Sum. Choice, 2 to 3 ft	1.00	
JUDAS TREE (Cercis) or RED BUD		
American (C. canadensis). Sm. Spg. 4 to 5 ft	.50	4.00
Japanese (C. japonica). Dwf. Spg. 2 to 3 ft	1.00	8.00
JUGLANS see Walnut		
KATSURA TREE (Cercidiphyllum)  Japanese (C. japonicum). Med. 3 to 4 ft		
Japanese (C. japonicum), Med. 3 to 4 ft	1.00	
Symmetrical showy foliaged lawn tree 4 to 5 ft	2.00	
KOELREUTERIA see Varnish Tree LABURNUM (Laburnum including Cytisus)	2.00	
LABURNUM (Laburnum including (!utisus)		
Scotch (L. alninum) Sm. Sum. Golden Flowers	1.00	
Scotch (L. alpinum). Sm. Sum. Golden Flowers	.75	
I.ARCH (Lavir and Pseudo-Lavir)	.10	
A morrison on Ha alternate alz (L. Americana) Med	.50	
Scotah (I decides or enverse) In 2 to 4 ft	,50	4.00
Payd anymin a speak and latent too. A to 6 ft	.75	6.00
Colder (D. T. Leave 6.1) See Gelland Silver 10.1	1.50	0.00
Tonce (I. L. Kemp Jerri). Sin. Golden Johnsee. 2 to 3 ft		
Golden (Harix and Pseudo-Larix).  American or Hackamatack (L. Americana). Med. Scotch (L. decidua or europeu). Lg. 2 to 4 ft. Rapid growing screen or shelter tree. 4 to 6 ft. Golden (P. L. kemp ferii). Sm. Golden foliage. 2 to 3 ft. Japanese (L. Lept lepis). Lg. Rapid growth, 3 to 4 ft. Western (I. occidentalis). Med. Rare. 3 to 5 ft.	.75	
Western (1. occidentalis). Med. Rare. 5 to 5 it.	2.00	
LANIA see Laich. LAUNUS see Sassairas and Spice		
Bush		
LIME see Linden. LINDERA see Spice Bush		
LIQUIDAMBER see Gum.		
LIRIODENDRON see Tulip Tree		
LIQUIDAMBER see Gum LIRIODENDRON see Tulip Tree LOCUST (Gladischia and Robinia). Honey or Three-thorned Acacia (G. triacanthos)		
Honey or Three-thorned Acacia (G. triacanthos)	.50	4.00
See also under Hedge Plants. 6 to 8 ft	1.00	8.00
Weeping (G. t. bujota). Med. 2 yr. grafts	2.00	The same
Black or yellow (R. pseudo-acacia). Med. Sum	.50	4.00
Clammy (R. viscosa). Sm. Sum. 3 to 5 ft	.50	
MAGNOLÍA (Magnolia)		
AMERICAN SPECIES		
Cucumber Tree (M. acuminata). Med. Spg. Green. 4 to 6 ft.	.75	6.00
Great-leaved (M. macrophylla). Sm. Spg. White. 3 to 4 ft.	1.50	
Honey or Three-thorned Acacia (G. triacanthos) See also under Hedge Plants. 6 to 8 ft. Weeping (G. t. bujota). Med. 2 yr. grafts. Black or yellow (R. pseudo-acacia). Med. Sum. Clammy (R. viscosa). Sm. Sum. 3 to 5 ft. MAGNOLIA (Magnolia). AMERICAN SPECIES. Cucumber Tree (M. acuminata). Med. Spg. Green. 4 to 6 ft. Great-leaved (M. macrophylla). Sm. Spg. White. 3 to 4 ft. Frazer's (M. frazerii). Med. Spg. Yellow. 3 to 5 ft	1.00	

#### THE SIX BEST LAWN TREES.



The Yellow Wood.

The following can be recommended for the best six lawn trees and possess perfect hardihood with adaptability to a wide range of soils and freedom from a tendency of exhausting the fertility of their immediate surroundings, a point of value where flower gardens and good lawn surfaces are highly valued.

THE YELLOW-WOOD (Cladrastis tinctoria). A handsome low-topped tree of moderately rapid growth with broad, thin,

pea-green foliage and bearing in mid-July myriads of hanging clusters of pure white, slightly fragrant, flowers. As a medium sized lawn tree this cannot be surpassed. The Reading Nurseries possess the largest American stock of large specimen trees. 6 to 8tr., \$1.00 each; 8 to 10 ft., \$2.00 each: 10 to 12 ft., \$5.00 each; 12 to 14 ft., \$4.00 each: 14 to 16 ft., \$5.00 each. Larger specimens priced on selection.

SCHWERDLER'S PURPLE-LEAVED NORWAY MAPLE. A sturdy, vigorous growing tree, clean in its freedom from falling flowers or fruits. With broad foliage of the richest shades of crimson and purple in early summer, deepening its broay huse in mid-summer and relieved again in August by the repeated richer shades of the young second growth of the tree. The best purple-leaved, rapid growing, large lawn tree. 6 to 8 ft., \$1.00 each; 8 to 10 ft., \$2.00 each.

PAUL'S DOUBLE SCARLET THORN. Showy clusters of very double, deep scarlet flowers studding the length of every branch and shown to highest advantage against the dark, glossy-green foliage in early June. These features with the small tree-like growth adapts the tree to use on the smallest lawn. Tree trained specimens 6 to 8ft., \$1.00 each. Shrub-trained plants, 3 to 4 ft.. \$1.00 each. Double White Thorns can be supplied at the same rate.

THE JAPANESE VARNISH TREE (Koelreuteria paniculata). A small growing lawn tree, seldom exceeding 20 ft. in height, with darkest glossy-green, showy compound foliage and forming an irregularly rounded, low-branched tree. In August, long after most trees have passed their blooming stage, showy broad, open panicles of riches golden-yellow flowers are borne well above the foliage and shown to greatest advantage against the dark foliage. 4 to 6 ft., 75 cts. each; 6 to 8 ft., \$1.50 each.

THE KATSURA TREE (Cercidiphyllum japonicum). A Japanese tree of symmetrical habit, forming a large oval, pyramid. Very handsome heart-shaped leaves, light, flesh-colored when small, changing to light green, as it becomes fully developed. Bark, bright, reddish brown. While its flowers are inconspicuous, its handsome foliage. clean. upright and compact growth, combine to make it one of the finest of lawn trees. 3 to 4 ft., \$1.00 each; 4 to 5 ft., \$2.00 each; 5 to 6 ft. specimens, \$3.00 each.

THE RIVER'S PURPLE BEECH. Too well known in the fine existing examples to be seen in every town in Eastern America to require description. Its long-lived, sturdy, low-branched habit, gives it proper place on any lawn, and the rich, deep bloodred foliage, deepening in tone in mid-summer, renders it particularly noteworthy. 5 to 6 ft., \$1.50 each; 6 to 7 ft., \$2.50 each. Larger trees priced on selection.

MAGNOLIA - Continued.	EACH.	TEN.
Swamp or White Bay (M. glauca), Sm. Sum. White.	\$1.00	
Umbrella Tree (M. tripetala). Med. Early Summer	.75	
CHINESE AND JAPANESE SORTS		
(1) Hall's (M. steliata). Dwf. Spg. 2 to 2½ ft.  Semi-double, purest white fragrant flowers.  (2) Yulan (M. conspicua). Med. Purest White. 2 to 3 ft	2.50	
(2) Yulan (M. conspicua), Med. Purest White. 2 to 3 ft	2.00	
(3) Showy (M. speciosa). Sm. White and Pink 2 to 3 ft	$\frac{2.00}{5.00}$	
(4) Soulange's (M. soulangeana). Sm. Spg. 2 to 3 ft	2.00	
(3) Showy (M. spectosal, Sm. White and Pink 2 to 3 ft. Creamy white, tinged purple. Pyramid. 4 to 5 ft. (4) Soulange's (M. soulangeana). Sm. Spg. 2 to 3 ft. (5) Lenne's (M. lennei), Sm. Spg. 2 to 3 ft. (1) (2) (3) (4) (5) indicate order of blooming. MAIDEN HAIR TREE see Ginko. MAPLE (Acer including Negundo). Ash-leaved or Negundo (A negundo). Lg. 5 to 7 ft. Variegated-leaved (A. n. variegata). Sm. 3 to 5 ft. English Field (A campetrix). Sm. 3 to 4 ft.	2.00	
(1) (2) (3) (4) (5) indicate order of blooming.		
MAPLE (Acer including Negunda)		
Ash-leaved or Negundo (A negundo). Lg. 5 to 7 ft	.50	4.00
Variegated-leaved (A. n. variegata). Sm. 3 to 5 ft	1.00	4.00
English Field (A. campestris). Sm. 3 to 4 ft	.50 1.00	4.00
	2.00	
Blood-red foliage all summer. 2 to 3 ft	3.50	
Blood-red foliage all summer. 2 to 3 ft.  Cut-leaved (4, p. dissectum). 1½ to 2 ft.  Weeping Habit. Fern-like leaves. 2 to 3 ft.  Purple Cut-leaved Weeping. 1½ to 2 ft.  Mountain (4, spicatum). Sm. Sum. 3 to 5 ft.  Norway (4, platanoides). Ig. Spg. 6 to 8 ft.  See also Street Shade Trees. 8 to 10 ft.	2.00	
Weeping Habit, Fern-like leaves, 2 to 3 ft	$\frac{3.50}{2.00}$	
Mountain (A. spicatum). Sm. Sum. 3 to 5 ft	.75	
Norway (A. platanoides). Lg. Spg. 6 to 8 ft	.50	4.00
See also Street Shade Trees. 8 to 10 ft	1.00	
Schwerdler's (A. p. schwerdleri), 6 to 8 ft	1.00	
Scarlet or Swamp (A. rubrum). Lo. 5 to 7 ft.	$\frac{1.50}{1.00}$	
Silver or White (A. saccharinum.) Lg. 6 to 8 ft	.75	5.00
See also Street Shade Trees, 8 to 10 ft.  Schwerdler's (A. p. schwerdler'), 6 to 8 ft.  Bright red purple foliage. 8 to 10 ft.  Scarlet or Swamp (A. rubrum). Lg. 5 to 7 ft.  Silver or White (A. saccharinum.) Lg. 6 to 8 ft.  Extremely rapid growing street tree. 8 to 10 ft.  Weir's Weeping Cut-Leaved (A. s. weirii). 6 to 8 ft.  Striped or Moosewood (A. pennsylvanicum). 8m.  Sugar or Rock (A. saccharinum). Lg. 6 to 8 ft.  See also Street Shade Trees. 8 to 10 ft.	1 00	7.50
Weir's Weeping Cut-Leaved (A. s. weirii). 6 to 8 ft	.75	
Sugar or Rock (A. saccharum). Lo. 6 to 8 ft	.75 .50	4.50
See also Street Shade Trees. 8 to 10 ft.  Black (A. nigrum). Lg. Rare. Species. 6 to 8 ft	.75	2,00
Black (A. nigrum), Lg. Rare. Species. 6 to 8 ft	1.00	
Sycamore (A. pseudo-platanus), Lg. Sum. 6 to 8 it	.75 1.00	6.00
Purple-leaved (A. p. p. purpurascens). 6 to 8 ft	1.50	8.00
Tartarian or Ginnala (A. ginnula). Dwf. 2 to 4 ft	.50	4.00
Sycamore (A. pseudo-platanus). Lg. Sum. 6 to 8 ft  Withstands sea-shore winds. 8 to 10 ft	1.00	
Snowdron Tree		
MORUS see Mulberry. MOUNTAIN ASH see Ash		
MULBERRY (Morus)		
Red (M. rubra). Med. Free fruiting tree. 4 to 6 ft	.50	4.00
Tea's Weeping (M. tatarica pendula). 2 vr. Grafts	.50 1.50	4.00
Dwarf weeping specimen lawn tree. 3 yr	2.50	
NEGUNDO see Maple, Ash-leaved		
American or Hackbarry (Coccidentalis) Mod	.50	
Dwarf weeping specimen lawn tree. 3 yr. Maiss.  NEGUNDO see Maple, Ash-leaved.  NETTLE Tree (celtis).  American or Hackberry (C. occidentalis). Med.  A sturdy tree for exposed situations. 6 to 8 ft.	1 00	
OAK (Quercus)		
Chestnut, Rock (Q. prinus). Lg. 5 to 7 ft	1.00	4.50
Fine shelter tree of denne habit. 6 to 8 ft.	.50 1.00	4.50
Golden (Q. r. concordia). Med. very choice. 2 to 3 ft	1.50	
Pyramidal (Q. r. fastigiata) Sm. 2 to 4 ft	1.50	
Mossy or Over our (0, Magreegeng) La 5 to 7 ft	1.50 1.00	
Pin (0, palustris). Lg. Graceful habit. 4 to 6 ft	.75	6.00
A sturdy tree for exposed situations. 6 to 8 ft.  OAK (Querous).  Chestnut, Rock (Q. prinus). Lg. 5 to 7 ft.  English (Q. robur). Lg. 4 to 6 ft.  Fine shelter tree of demne habit. 6 to 8 ft.  Golden (Q. r. concordia). Med. very choice. 2 to 3 ft.  Pyramidal (Q. r. fastigiata) Sm. 2 to 4 ft.  Laurel (Q. imbricaria). Med. 4 to 6 ft.  Mossy or Over-cup (Q. Macrocarpa). Lg. 5 to 7 ft.  Pin (Q. palustris). Lg. Graceful habit. 4 to 6 ft  A choice street or avenue tree. 6 to 7 ft.  Red (Q. rubra). Lg. Most rapid growth. 6 to 7 ft  Scarlet (Q. coccinea). Med. 5 to 6 ft.	1.00	8.00
Red (Q. rubra). Lg. Most rapid growth. 6 to 7 ft	1.00	0.00
Wonderful autumnal tints 6 to 7 ft	1.00 1.50	8.00
Scarlet (Q. coccinea). Med. 5 to 6 ft.  Wonderful autumnal tints. 6 to 7 ft.  Swamp White (Q. bicolor). Med. 4 to 5 ft.	1.00	
Thrives in wet locations. $6$ to $8$ ft		
White (C. alba). Lg. Sturdy. Long lived. 5 to 7 ft	1.00	8.00

### STREET SHADE TREES.

Of these we have a superior stock of clean grown, vigorous trees frequently transplanted to insure an abundance of fibrous roots. They are grown an ample distance apart, and can be highly recommended. Special quotations given on larger quantities than noted. Correspondence solicited.

	100	100
ASH. American White. 6 to 8 ft	\$7.50	\$50.00
A neglected street tree. 8 to 10 ft	10.00	90.00
CATALPA. Eastern. Showy flowers. 6 to 8 ft.	5.00	40.00
Western. Rapid growth. 6 to 8 ft	6.00	90.00
BEECH. English. A long lived street tree.		
4 to 6 ft.	7.50	60.00
	1.50	00.00
CHESTNUT. American Sweet. 5 to 7 ft	7.50	60.00
ELM. American Best street tree. 6 to 8 ft.	5.00	40.00
Our stock is choice. 8 to 10 ft	7.50	60.00
HONEY LOCUST. Vigorous growth. Com-		~~ ^^
mon. 7 to 9 ft	6.00	50.00
HORSE-CHESTNUT. Common. 6 to 8 ft	12.00	100.00
LINDEN. American. Rapid growth. 6 to 8ft.	7.50	60.00
Broad foliage, Grey bark, 8 to 10 ft.	12.00	
European. Narrower foliage. 6 to 8 ft	12.00	100.00
*		
MAPLE. Negundo or Ash-leaved. Rapid	0.00	40.00
growth. 6 to 8 ft	6.00	40.00
Norway. Vigorous growth. 8 to 10 ft.	10.00	80.00
Best maple for cities. 10 to 12 ft	12.00	100.00
Silver. Rapid growth. 8 to 10 ft	7.50	50.00
Sycamore. Best for sea-shore. 6 to 8 ft.	9.00	75.00
Rock or Sugar Most popular. 8 to 10 ft.	12.00	90.00
Clean and vigorous. 10 to 12 ft	15.00	100.00
OAK. Pin. Rapid growth. 6 to 8 ft	12.00	100.00
Best for city streets. 8 to 10 ft	15.00	125.00
Red. Rapid growth. Sturdy. 6 to 8 ft.	12.00	100.00
Scarlet. Beautiful foliage. 6 to 8 ft	12.00	100.00
White. Longest lived of all. 6 to 8 ft	15.00	125.00
White. Longest fived of an. o to 8 ft	19.00	125.00
PLANE. Oriental. For city streets. 6 to 8 ft.	6.00	50.00
Vigorous, healthy growth. 8 to 10 ft.	9.00	75.00
POPLAR. Cottonwood or Carolina. 8 to 10 ft.	6.00	35.00
Creates quickest results. 10 to 12 ft.	9.00	50.00
Lombardy. Columnar habit. 6 to 8 ft.	7.50	50.00
·	••••	00.00
WILLOW. Black. For causeway planting.	0.05	
5 to 7 ft	9.00	75.00

Special quotations given on the cheaper grades of above from other sources.

	EACH,	TEN.
OSTRYA see Hornbeam. OXYDENDRUM see Sorrel		
DACODA TREE (Sonhorg)		
Tree  PAGODA TREE (Sophora).  Japanese (S. japonica). Med. Mid. Sum. 3 to 5 ft  Weeping (S. j. pendula). Dwf. Grafted standards  PAULOWNIA see Empress Tree  PEA TREE (Cyragan)	\$1.00	
Weeping (S. j. pendula). Dwf. Grafted standards	2.50	
PAULOWNIA see Empress Tree		
PAULOWNIA see Empress Tree PEA TREE (Caragana) Siberian (C. arborescens). Sm. E. Sum. 3 to 4 ft. PEACH, Flowering (Prunus persica). Sm. Spg. 3 to 4 ft. Double White, Pink or Crimson. 4 to 6 ft. Purple-leaved (P. p. foliis purpurea), 3 to 4 ft. PERSICA see Peach. Phellodendron see Cork Tree. PHOTINIA villosa. Sm. E. Sum. White Flowers. 3 to 4 ft. Buillant scarlet winter fruits. 4 to 5 ft.	.50	4.50
PEACH, Flowering (Prunus persica). Sm. Spg. 3 to 4 ft	.50	4.00
Double White, Pink or Crimson, 4 to 6 ft	.75	6,00
Purple-leaved (P. p. folios purpurea), 3 to 4 ft	.50	
PHOTINIA villosa, Sm. E. Sum. White Flowers, 3 to 4 ft.	.50	
	1.00	
PLANE TREE or BUTTONWOOD (Platanus)	4.00	
American (P. occidentalis). Lg. 4 to 6 ft	1.00 .75	6.00
American (P. occidentalis). Lg. 4 to 6 tt. Oriental (P. orientalis). Lg. 6 to 8 tt. Rapid growing shade tree. 8 to 10 ft. PLATANUS see Plane Tree	.50	0.00
PLATANUS see Plane Tree		
PLUM (Prunus)	~~ ×	
POPI. AR. (Panulus) Sm. Spg. Snowy	.75	
Balsam (P. balsamifera). Lg. 6 to 8 ft	.50	4.50
Bolleana (P. alba bolleana). Lg. 6 to 8 ft	1.00	
Silvery foliage, columnar habit. 8 to 10 ft	1,50 .50	4.50
PLATANUS see Plane Tree PLUM (Prunus). Purple-leaved (P. piscardii). Sm. Spg. Showy. POPLAR (Populus). Balsam (P. balsamifera). Lg. 6 to 8 ft. Bolleana (P. alba bolleana). Lg. 6 to 8 ft. Sivery foliage, columnar habit. 8 to 10 ft. Carolina or Cottonwood (P. monolifera). Lg. 6 to 8 ft. See also under Street Shade Trees. 8 to 10 ft. Golden-leaved (P. m. van gaertii). 5 to 7 ft. Lombardy (P. nigra italica). Med. 5 to 7 ft. Columnar habit, rapid growth. 8 to 10 ft. Silver (P. alba). Lg. Silvery foliage. 5 to 7 ft. POPULUS see Poplar. PRUNUS see Plum and Cherry. PSEUDO-LARIX see Larch, Golden. PTELIA see Hop	1.00	4.50 8.00
Golden-leaved (P. m. van gaertii). 5 to 7 ft	.75	6.00
Lombardy (P. nigra italica). Med. 5 to 7 ft	.50	4.00
Columnar habit, rapid growth. 8 to 10 ft	1.00 .50	8.00 4.00
POPULUS see Poplar. PRUNUS see Plum and Cherry.	.00	4.00
PSEUDO-LARIX see Larch, Golden. PTELIA see Hop		
Tree		
PYRUS see Apple, Crap or Ash, Mt. QUERCUS see Oak RED BUD see Judas Tree. RHUS see Sumac. ROBINIA see Locust. ROWAN TREE! see Ash, Mt. SALIBURIA see Ginkgo. SALIX see Willow. SASSAFRAS (Sassafras officinale). Sm. Spg. 5 to 6 ft. SHAD BUSH (Amelanchier) or MESPILUS. Common (A. canadensis). Med. Spg. 3 to 5 ft. SORMOR Ass. Proceeds. The SORRIUS see Ash. Mt.		
ROBINIA see Locust. ROWAN TREE see Ash, Mt		
SALIBURIA see Ginkgo. SALIX see Willow		2.00
SASSAFRAS (Sassafras officinate). Sm. Spg. 5 to 6 ft	.75	6.00
Common (A. canadensis). Med. Spg. 3 to 5 ft	.50	4.50
SORREL TREE (Oxydendrum arboreum). Sm. Sum	1.00	
SPICE BUSH (Benzoin including Laurus and Lindera)  Benjamin Bush or (B. odoriferum) Sm. Sng. 2 to 3 ft.	.50	4.00
Benjamin Bush or (B. odoriferum). Sm. Spg. 2 to 3 ft Yellow flowers in earliest spring. 3 to 4 ft SPINDLE TREE (Euonymus) or STAFF TREE	.75	6.00
SPINDLE TREE (Euonymus) or STAFF TREE	<b>~</b> .	
White-herried (F. a. frusto albus) 2 to 3 ft	.50 .50	4.50
Broad-leaved (E. e. latifolius). Choice. 2 to 4 ft	.50	
European (E. europeus). Sm. Orange berries, 3 to 4 ft  White-berried (E. e. fructo albus). 2 to 3 ft  Broad-leaved (E. e. latifolius). Choice. 2 to 4 ft  Burning Bush or Wahoo (E. atropurpureus). Sm  Bunge's (E. bungeana). Sm. Orange and grey. 3 to 4 ft  The finest for abundant showy fruits. 4 to 6 ft	.50	4.50
Bunge's (E. bungeana). Sm. Orange and grey. 3 to 4 ft	.75	
See other kinds under Deciduous Shrubs.	1.50	
STRAWBERRY TREE see Euonymus		
SYCAMORE see Plane or Maple		
THORN (Cratagaus)		
Cock's Spur (C. erux-galli). Sm. Spg. 2 to 4 ft	.50	4.50
Douglas (C. douglassi). Sm. Spg. 2 to 3 ft	.50	4.50
SYCAMOKE see Plane or Maple  TAXODIUM see Cypress  THORN (Crataegus)  Cock's Spur (C. crux-galli). Sm. Spg. 2 to 4 ft  Douglas' (C. douglassi). Sm. Spg. 2 to 3 ft  English Hawthorn (C. monogyna). Sm. Sum. 3 to 4 ft  Single Red-flowered (C. m. punicea). Choice. 3 to 4 ft.  Double Red or Double White. 4 to 6 ft  Paul's Double Scarlet. 4 to 6 ft	.35 1.00	3 00
Double Red or Double White. 4 to 6 ft	1.00	
Paul's Double Scarlet. 4 to 6 ft	1.00	
Scarlet-fruited (C. coccinea). Sm. Spg. 3 to 4 ft	.50	4.50
Paul's Double Scarlet. 4 to 6 ft. Scarlet-fruited (C. coccinea). Sm. Spg. 3 to 4 ft. Washington (C. cordata). Sm. Spg. 2 to 4 ft. Coral red fruits, all winter. 4 to 6 ft.	.50 1.00	4.50 8.00
All the Thorns are showy in flower or fruit and all make admir-	1.00	-0.00
-h1 11 1 h		

# PLANTING ADVICE

# ين ين ين

ROR fifty years The Reading Nurseries have contributed trees, shrubs, and fruits for the finer enjoyment of the home grounds of New England. For fifteen years previous to 1898 the present owner was intimately connected with the propagation, dissemination and practical use of every available type of tree, shrub or herb in producing landscape effects. For the last ten years he has had to do with the actual development of a large number of the most important public and private grounds in America, has carried out such work in more than thirty states of the Union, and is thoroughly familiar with the principles of landscape design and its execution. He believes, however, that at present too much stress is given to landscape architecture so far as the necessity of the excessive cost of survey and plans may be required on the smaller estates: that while large or complicated undertakings certainly do warrant such expense, on the other hand good advice, founded on a thorough knowledge of plants, their requirements and adaptabilities, may be sufficient.

We are ready to give you the benefit of such knowledge. make a visit to your grounds at your suggestion, to carefully consider your needs. and give advice free of charge. The result may convince you that we can best serve you in giving further advice, or in the purchase and supplying of nursery stock; and believe this is a practical service that you should take advantage of.

	EACH.	TEN.
TILIA see Linden		
TULIP or WHITE WOOD (Liriodendron)		
Common (L. tulipifera). Lg. Sum. 5 to 7 ft	\$1.00	
Beautiful in foliage or flower. 8 to 10 ft	2.00	
ULMUS see ELM. UMBRELLA TREE see Magnolia		
VARNISH TREE (Koelreuleria)		
Japanese (K. paniculata). Sm. Mid. Sum. 4 to 6 ft	1.00	
Showy foliage. Yellow flowers. 6 to 8 ft	2.00	
VIRGILEA see Yellow-wood		
WALNUT (Juglans). Black (J. nigra). Lg. 5 to 7 ft		
Black (J. nigra). Lg. 5 to 7 ft	.50	4.50
Butternut (J. cinera). Med. Edible nuts. 4 to 6 ft	.50	
Japanese (J. sieboldiana). Med. Choice. 2 to 4 ft	.50	
Strings of edible nuts. 4 to 6 ft	1.00	
WHITE FRINGE see Fringe Tree		
WILLOW (Salix).  Babylonian or Napoleon (S. babylonica). Lg		
Babylonian or Napoleon (S. babylonica). Lg	1.00	
Common of Formata (S. hayra). Lg. 4 to 6 to	.50	4.00
Golden-barked (S. vitellina). Lg. 3 to 5 ft	.75	6.00
Salmon-backed (S. v. britzensis). 3 to 5 ft	.75	6.00
Goat (S. caprea). Med. Spg. Grey catkins. 3 ft	.50	
Kilmarnock Wpg. (S. c. pendula). 2 yr. grafts Laurel-leaved (S. pentandra). Med. 2 to 4 ft	1.00	
Laurel-leaved (S. pentandra). Med. 2 to 4 ft	.50	4.50
Shining laurel-like foliage. 4 to 6 ft	1.00	
Shining (S. lucida). Sm. A choice native. 3 to 4 ft	50	4.50
Rosemary (S. incana). Dwf. Globular habit. 2 to 3 ft	.50	4.00
Trained as standard lawn tree. 2 yr. grafts	1.00	
Royal (S. alba). Med. Silvery foliage. 2 to 4 ft	.50	4.00
Sage or Dwarf (S. tristis). Dwf. Shrub-like	.50	
Siebold's (S. Sieboldii?). Med. 2 to 4 ft	.50	4.50
Showy in flower, foliage and habit. 4 to 6 ft	1.00	
Thurlow's (S. elegantissima). Lg. Choice. 3 to 5 ft	.50	
Similar but hardier than Babylonian Willow.		
WHITEWOOD see Tulip. XANTHOXYLUM see Ash,		
Prickly		
YELLOW-WOOD (Cladrastis)		
American (C. tinctoria). Med. Sum. 4 to 6 ft	.75	
Drooping clusters white flowers. 6 to 8 ft	1.50	

## DECIDUOUS SHRUBS.

Reference.—Lg. Shrubs over 6 feet in height at maturity. Med. From 4 to 6 feet. Sm. from 18 inches to 3 feet. Dwf. Under 18 inches, Spg. Spring flowering shrubs. E. Sum. Early summer flowering. Sum. Mid-summer flowering. Aut. Autumn blooming. Where no flowering period is indicated the ornamental character of the plant is centered in either the foliage or fruit effect.

	EACH.	TEN.
ACACIA (Robinia)		
Rose (R. hispida). Med. E. Sum. Pink. 2 to 3 ft	\$0.35	\$3.00
ALDER, BLACK (Ilex verticillata). See Winterberry		
ALLSPÍCE (Calycanthus)		
Carolina (C. floridus). Med. Spg. Chocolate. 2 to 3 ft	.35	
ALMOND (Prunus)	•	
Flowering (P. japonica A. pl.) Sm. Spg		
Double White and Double Pink. 2 to 3 ft	.50	
AMELANCHIER see Shad Bush.	.00	
ALTHEA (Hibiscus syricus). Lg. Aut	.35	3.00
	.35	3.00
Double Red, White, Purple and Variegated. 2 to 3 ft		
Single Red, Pink or Purple. 2 to 3 ft	.35	3.00
Single Pure White. Choice. 2 to 3 ft	.50	
AMORPHA see Indigo Shrub		
ANDROMEDA (Xolisma and Zenobia)		
See also Stagger Bush in Evergreens		
Privet (X. ligustrina). Med. Sum. 1 to 2 ft	.50	
Charge (A. agastra), mou Sum 1 to 2 ft.		
Showy (Z. pulverulenta) Sm. E. Sum, Pure White	1.00	

#### TREES FOR FOREST PLANTING.

The following American grown nursery stock is selected of the sizes best adapted to general Forest Planting. General suggestions for this character of work gladly given. Correspondence solicited. Special low rates given by correspondence for importations from European sources.

*			
ARBOR VITAE, American . 12 to 18 in.	86.00	\$50.00	\$250.00
ASH, American White 12 to 18 in.			
			200.00
CATALPA, Eastern 12 to 18 in.			
CATALPA, Western 12 to 18 in.			
CEDAR, Red 8 to 12 in.	12.00	100.00	
CHESTNUT, American Sweet 12 to 18 in.	4.00	20.00	
ELM, American 12 to 18 in.	5.00	30.00	
FIR, Balsam 10 to 12 in.	4.00	35.00	
HEMLOCK 10 to 12 in.	12.00	100.00	
LARCH, European 8 to 12 in.	4.00	35.00	
LINDEN, American 10 to 12 in.	7.50	50.00	
LOCUST, Black 12 to 18 in.	3.00	15.00	100.00
LOCUST, Honey 12 to 15 in.	4.00	20.00	150.00
MAPLE, Rock 10 to 12 in.	3.00	20.00	150.00
OAK, Chestnut 6 in.	7.50	40.00	
OAK, Pin 1 to 2 ft.	5.00	35.00	
OAK, White 6 to 12 in.	10.00	50.00	
PINE, Austrian 12 to 15 in.	7.00	50.00	
PINE, Norway 12 to 18 in.	10.00	75.00	
PINE, Scotch 12 to 18 in.	6.00	40.00	
PINE, White 10 to 12 in.	7.50	50.00	400.00
SPRUCE, Norway 12 to 18 in.	5.00	40.00	300.00
SPRUCE, White 12 to 15 in.	8.00	50.00	
WALNUT, Black 12 to 18 in.			

#### MANNING'S MONOGRAPHS No. I.

A forty-page booklet embracing a complete description of over two hundred and fifty kinds of berry-bearing trees, shrubs, vines or herbs, and hints as to their use in landscape planting effects. Free to regular customers.

	EACH.	TEN.
ARALIA (Acanthopanax).  Five-leaved (A. pentaphylla). Lg. 2 to 3 ft One of the best glossy green foliaged shrubs. 3 to 4 ft ARROW-WOOD see Viburnum. AZALEA (Acalea).  Flame (A. calendulacea). Med. E. Sum. 1 to 1½ ft Orange, red and yellow flowers. 1 to 2 ft Pinxtar Flower (A. nudiflora). Med. Spg. 1 to 2 ft Showy shades of pink. 2 to 3 ft Smooth (A. arborescens). Med. Sum. 18 in Fragrant white flowers. Pink anthers. 1½ to 2 ft Swamp (A. viscosa). Med. July and August. 1 to 2 ft	\$ .35	\$3.00
AROW-WOOD see Viburnum	.50	
Flame (A. calendulacea). Med. E. Sum. 1 to $1\frac{1}{2}$ ft	1.50	12.00
Pinxtar Flower (A. nudiflora). Med. Spg. 1 to 2 ft	2.00	5.00
Showy shades of piuk. 2 to 3 ft	.75	6.00
Fragrant white flowers. Pink anthers. 12 to 2 ft	$\frac{1.00}{2.00}$	
Swamp (A. viscosa). Med. July and August. 1 to 2 ft	.75 1.50	
Fragrant pure white flowers. 2 to 3 ft	1.00	
Shades of pink, vellow, scarlet and white	1.00	
Shades white, yellow, orange and red		
Vasey's (A. vaseyi). Med. Spg. 1½ to 2 ft	$\frac{1.00}{2.50}$	9.00
BACCHARIS see Groundsel Shrub.	2.00	
Common (B. vulgaris). Med. Spg. Crimson berries. 1 to 2 ft	.35	3.00
Purple-leaved (B. v. purpurea). Purple berries. 1 to 2 ft.	.35	3.00
Ash-leaved see Evergreen Shrubs	.35	3.00
BAYBERRY see Myrtle-Wax. BERBERIS see Barberry.		
Mollis Hybrids. All colors. Sm. E. Sum. 1 to 1½ ft Shades white, yellow, orange and red Vasey's (A. vaseyi). Med. Spg. 1½ to 2 ft Earliest blooming. Beautiful light pink flowers. 2 to 3 ft BACCHARIS see Groundsel Shrub. BARBERRY (Berberis). Common (B. vulgaris). Med. Spg. Crimsonberries. 1 to 2 ft Purple-leaved (B. v. purpurea). Purple berries. 1 to 2 ft Thunberg's (B. thunbergii). Sm. E. Sum. Scarlet. 1 to 2 ft Ash-leaved see Evergreen Shrubs. BAYBERRY see Myrtle-Wax. BERBERIS see Barberry. BLACKBERRY see Bramble. BLADDER-NUT (Staphulea). Colchican (S. colchica). Lg. Spg. White fragrant. 2 to 3 ft. American (S. trifoliata). Lg. Spg. "4 2 to 3 ft BLADDER SENNA (Colutea).		
Colchican (S. colchica). Lg. Spg. White fragrant. 2 to 3 ft.	.35 .50	
BLADDER SENNA (Colutea).		
BLADDER SENNA (Colutea). Common (C. arborescens). Lg. All Sum. Yellow. 2 to 3 ft Purple-flowered (C. cruentis). Med. Sum. 2 to 3 ft	.35 .50	
BLUEBERRY (Vaccineum)	.75	
BLUEBERRY (Vaccineum).  High Bush (V. corymbosum). Lg. Spg. Blue berries. 1 to 2 ft.  Brilliant Autumn foliage. 2 to 3 ft.  Low Bush (V. pennsylvanicum). Dwf. Spg. 6 to 9 in.  BRAMBLE (Rubus).  Cut-leaved (R. laciniatus). Med. Sum. Showy foliage.	1.00	
Low Bush (V. pennsylvanicum). Dwf. Spg. 6 to 9 in	.35	
Cut-leaved (R. laciniatus), Med. Sum. Showy foliage.		
1 to 2 ft.  Flowering (R. fruticosus fl. pl.). Med. Sum. 1 to 2 ft  BUCKTHORN (Rhamnus).	.35 .35	3.00 3.00
BUCKTHORN (Rhamnus)		
Valuable for screen purposes. 3 to 4 ft	.25 .50	2.00
Dahurian (R. dahurica). Lg. Shining black berries. 2 to 3 ft	.50 .75	
Indian Cherry (R. caroliniana). Med. Red berries, 1 to 2 ft.	,35	3.00
BUCKTHORN (Rhamnus).  Common (R. catharticus). Lg. Dull black berries. 2 to 3 ft.  Valuable for screen purposes. 3 to 4 ft.  Dahurian (R. dahurica). Lg. Shining black berries. 2 to 3 ft. Alpine (R. alpinus). Med. Beautiful foliage. 1 to 2 ft.  Indian Cherry (R. caroliniana). Med. Red berries. 1 to 2 ft.  Alder (R. frangula). Lg. Red and black berries. 1 to 2 ft.  Western (R. purshiana). Lg. Red and black berries. 1 to 2 ft.  BUDDLEIA (Buddleia).  Japonica. Med. Sum. Drooping pink flowers. 2 to 3 ft  Variabilis. Med. Sum. Showy lavender flowers. 2 to 3 ft  BUFFALO BERRY (Shepherdia or Lepargyrea)  Common (S. argentea). Med. Spg. Silver foliage. 1 to 2 ft.  Fruiting form.	.35 .35	3. <b>0</b> 0
BUDDLEIA (Buddleia)		
Variabilis. Med. Sum. Showy lavender flowers. 2 to 3 ft	.35 .50	
BUFFALO BERRY (Shepherdia or Lepargyrea)		
Fruiting form Spg. Silver foliage. 1 to 2 it	.35 .50	4.50
BURNING BUSH see Spindle Tree		
Common (S. argenta). Med. Spg. Silver tonage. 1 to 2 ft. Fruiting form BURNING BUSH see Spindle Tree. BUTTON BUSH (Cephalanthus). Common (C. occidentalis). Med. Sum. White flowers. 1 to 2 ft CALLICARPA see Mulberry. CALYCANTHUS see Allspice, Carolina. CAMELLIA, American see Stuartia. CARYOPTERIS see Verbena Shrub. CEANOTHUS see New Jersey Tea.	.35	
CALLICARPA see Mulberry		
CAMELLIA, American see Stuartia		
CEANOTHUS see New Jersey Tea		
CEPHALANTHUS see Button Bush		
CEANOTHUS see Verbena Shrub. CEANOTHUS see New Jersey Tea. CEPHALANTHUS see Button Bush. CHIONANTHUS see White Fringe. CHOKE BERRY (Sorbus or Pyrus). Red (S. arbutijolia), Med. Red berries. 1 to 2 ft. Showy flowers, brilliant fruit. 2 to 3 ft. Black (S. nigra). Sm. Pink and white flowers. 1 to 2 ft.		
Red (S. arbutifolia), Med. Red berries. 1 to 2 ft	.35 .50	2.00
Black (S. nigra). Sn. Pink and white flowers. 1 to 2 ft  Showy black fruits all winter, 2 to 3 ft	.35	
Showy black fruits all winter, 2 to 3 ft	.50	

#### HARDY AZALEAS.



Azalea Vasevii.

Azalea Indica v. Amoena.

For fifty years Azaleas have been a feature of The Reading Nurseries, and for the last twenty years, a specialty. Visitors to the nurseries will find them grouped with Rhododendrons, Mountain Laurel, etc., and can gain advantageous hints as to their culture and uses. The soil here is particularly adapted to their needs, and the plants in consequence will prove the best

- GHENT AZALEAS. In greatest variety of colors, in strong plants, full of flower buds. 18 to 24 in. \$2.00 each. \$15.00 per ten.
- AZALEA MOLLIS. Marvelous in their combination of shades from pure white to darkest pink, with flowers of largest size. 12 to 18 in. \$1.50 each. \$12.00 per ten. 18 to 24 in. full of buds, \$2.00 each. \$15.00 per ten.
- AZALEA INDICA V. AMOENA. A choice Japanese, evergreen species with dark red or rose-pink flowers borne so freely as to practically hide the foliage in early June. When planted in situations sheltered from strong winds and free from the blazing sun, it is perfectly hardy and magnificent in its flower effect. 12 to 15 in. \$1.50 each.
- VASEY'S AZALEA (A vaseyii). Perfectly hardy, forming a rounded bush with rich deciduous foliage, taking on brilliant orange and red autumnal tints. The fragrant flowers are borne in wondrous profusion in early spring in advance of the foliage; in color varying from a soft, porcelain pink to pure white. Choice. The best stock in New England 1 to 1 1-2 ft. \$1.50 each. 1 1-2 to 2 ft. \$3.00 each. 2 1-2 to 3 ft. \$5.00 each. All specimen plants.

  FLAME AZALEA (Azalea calendulacea). A sturdy, irregu-
- FLAME AZALEA (Azalea calendulacea). A sturdy, irregularly rounded bush, often growing to a height of twelve feet, with showy clusters of flowers borne with the unfolding leaves in early June, and varying in color from pure yellow to deepest orange-red and in varied combination. 12 to 15 in. \$1.50 each. \$12.00 per ton. See regular price list for other species.

	TACIT	max.
CINQUEFOIL (Potentilla)	EACH.	TEN.
CINQUEFOIL (Potentilla)  Shrubby (P. fruticosa). Sm. All Sum. Yellow. 1 to 1½ ft  CLETHRA or Sweet Pepper Brush Alder-leaved (C. alnifolia). Med. Sum. White. 1 to 2 ft.  COLUTEA see Bladder Senna.  CORAL BERRY see Red Snowberry.  CORCHORUS see Jews Mallow  CORNEL see Dogwood.  CORNELIAN CHERRY (Cornus mas). Lg. Spg. 1 to 2 ft  Yellow flowers, showy, red edible fruits. 2 to 3 ft.  Variegated-leaved (C. mas rept.) choice. 2 to 3 ft.  CORYLUS see Hazel. CORNUS see Dogwood  CORYLOPSIS Pauciflora. Sm. Spg. Yellow. 1 to 2 ft  COTONEASTER	\$ .35	
Alder-leaved (C. alnifolia). Med. Sum. White. 1 to 2 ft.	.35	
CORAL BERRY see Red Snowberry		
CORCHORUS see Jews Mallow		
CORNELIAN CHERRY (Cornus mas). Lg. Spg. 1 to 2 ft	.35	3.50
Yellow flowers, showy, red edible fruits. 2 to 3 ft	.50 .50	
CORYLUS see Hazel. CORNUS see Dogwood	.90	
CORYLOPSIS Pauciflora. Sm. Spg. Yellow. 1 to 2 ft	.50	
COTONEASTER Common (C rulgaris). Sm. Spg. 1 to 2 ft. Wooley (C tomentosa). Med. E Sum. 2 to 3 ft. Simond's (C simonsi). Med. Sum. 2 to 3 ft. CRANBERRY BUSH see Viburnum.	.50	4.50
Wooley (C. tomentosa). Med. E Sum. 2 to 3 ft	.50 .50	
CRANBERRY BUSH see Viburnum	.00	
CRATÆGUS see Thorn		
Alpine (R. alpinum). Sm. Sum. Showy foliage, red fruits, 1 to 2 ft	.50	4.50
Gordon's (R. gordonianum), Med. Spg. 2 to 3 ft	.35 .35	3.00 3.00
CRATÆGUS see Thorn.  CURRANT (Ribes).  Alpine (R. alpinum). Sm. Sum. Showy foliage, red fruits, 1 to 2 ft Golden or Missouri (R. aureum) Med. Spg. 2 to 3 ft  Gordon's (R. gordonianum). Med. Spg. Orange. 2 to 3 ft  Japanese (R. fusciculatum). Med. Spg. Scarlet berries	.50	0,00
DAPHNE see Mezereon Shrub.		
Indian see Snowberry, Red.  DAPHNE see Mezereon Shrub CYDONIA see Quince, Japan.  DESMODIUM see Lespedeza.		
DESMODIUM see Lespedeza DEUTZIA (Deutzia)		
Crenata. Lg. E. Sum. White and Pink Flowers. 2 to 3 ft	.35	3.00
Pride of Rochester. Double Pink. 2 to 3 ft	.35 .35	3.00
Rough-leaved (D. scabra), Lg. E. Sum. White, 2 ft	.35 .50	3.00
CYDONIA see Quince, Japan.  DESMODIUM see Lespedeza.  DEUTZIA (Deutzia).  Crenata. Lg. E. Sum. White and Pink Flowers. 2 to 3 ft  Pride of Rochester. Double Pink. 2 to 3 ft  Pride of Rochester. Double Pink. 2 to 3 ft  Pride of Rochester. Double Pink. 2 to 3 ft  Pride of Rochester. Double Pink. 2 to 3 ft  Rough-leaved (D. scabra). Lg. E. Sum. White. 2 ft  Snowflower (D. gracilis). Dwf. E. Sum. 1 ft  Pure white flowers in profusion. 1 to 2 ft  Lemoine's (D. lemoinei). Med. Sum. White. 1 to 2 ft  Lemoine's (D. lemoinei). Med. Sum. White. 1 to 2 ft  DIERVILLA see Weigela.  DOGWOOD or Cornel (Cornus). See also Trees  Siberian (C. alba). Med. Sum. White flowers and berries 1 to 2 ft  Golden-leaved (C a. spathi). Med. Showy. 1 to 2 ft  Silver Variegated-leaved (C. elegantissima). 1 to 2 ft  Red Ozier (C. stolonifera). Med. Sum. Coral Bark. 1 to 2 ft  Golden-barked (C. s. flaviramea). Med. 1 to 2 ft  English (C. sanguinea). Lg. Sum. E. Purple bark. 2 to 3 ft.  Silky (C. annomum or sericea). Lg. Sum. White berries. 2 to 3 ft.  Panicled (C. candidissim or paniculata). Med. Sum. 2 to 3 ft  Bailey's (C. baileyi). Lg. Sum. White berries. 2 to 3 ft  Bunch Berry (C. canadensis). Dwf. Sum. Scarlet berries.  Stiff (C. stricta). Lg. Sum. White flowers and berries. 2 to 3 ft  ELEA GNUS see Oleaster and Silver Berry  ELDER (Sambucus).  Common (S. canadensis). Lg. E. Sum. White, purple berries	.50	
Lemoine's (D. lemoinei). Med. Sum. White. 1 to 2 ft	.35	3.00
DOGWOOD or Cornel (Cornus). See also Trees,		
Siberian (C. alba). Med. Sum. White flowers and berries 1 to 2 ft	.35 .50	3.00 4.00
Golden-leaved (C a. spæthi). Med. Showy. 1 to 2 ft	.50	4.50
Silver Variegated-leaved (C. elegantissima). 1 to 2 ft.  Red Ozier (C. siglantiera) Med Sum Corel Bark 1 to 2 ft.	.50 .35	4.50 3.00
Golden-barked (C. s. flaviramea). Med. 1 to 2 ft	.50	4.50
English (C. sanguinea). Lg. Sum. E. Purple bark. 2 to 3 ft. Silky (C. amomum or sericea). Lg. Sum. White berries. 2 to 3 ft.	.35 .35	3.00
Panicled (C. candidissima or paniculata). Med Sum. 1 to 2 ft.	.35	
Round-leaved (C. circinata), Med. Sum. 2 to 3 ft	.50 .50	4.00
Bunch Berry (C. canadensis). Dwf. Sum. Scarlet berries.	.35	3.00
ELEAGNUS see Oleaster and Silver Berry	.50	
ELDER (Sambucus).  Common (S. canadensis). Lg. E. Sum. White, purple berries		
2 to 3 ft	.35	3.00
2 to 3 ft. European (S. nigra). Lg. E. Sum. White, purple berries 2 to 3 ft.	.35	3.00
Golden-leaved (S. n. aurea). Lg. Showy foliage. 2 to 3 ft.	.35	3.50
Cut-leaved (S. n. laciniala), Med. 2 to 3 ft	.50 .50	4 50
Golden-leaved (S. n. aurea). Lg. Showy foliage. 2 to 3 ft. Cut-leaved (S. n. laciniala). Med. 2 to 3 ft. Red-berried (S. racemosus). Med. Spg. Choice. 2 to 3 ft	.00	100
EXOCHORDA see Pearl Bush		
EUONY MUS see Spindle Tree.  EXOCHORDA see Pearl Bush.  FIRE BUSH see Japan Quince.  FRINGE TREE see Trees  FORSYTHIA see Golden Bell.  GOLDEN BELL (forsythia).  Chinese (F. viridissima). Lg. Spg. Pale yellow. 2 to 3 ft.  Fortune's (F. fortunei). Lg. Spg. Golden yellow. 2 to 3 ft.  Weeping (F. suspensa). Lg. Spg. Golden yellow. 2 to 3 ft.		
GOLDEN BELL (forsuthia)		
Chinese (F. viridissima). Lg. Spg. Pale yellow. 2 to 3 ft	.35	
Weeping (F. suspensa), Lg. Spg. Golden yellow, 2 to 3 ft. Wesping (F. suspensa), Lg. Spg. Golden yellow, 2 to 3 ft.	.35 .35	3.50
The three most distinct sorts.		

#### SPECIMEN SHRUBS.

Large specimen shrubs of the following varieties can be supplied. They are all grown with a view to creating immediate effects, and are bushy, well developed specimens of the sizes quoted. One of the features of The Reading Nurseries is that of supplying such stock, and when one of the plants will fill the space usually occupied by from four to six of the ordinary shrubs as usually planted, the economy of their use may be realized independently of the immediate flowering results that may be expected, as with the smaller stock a period of several seasons must elapse before the same result may be obtained.

obtained.	Elach
ALLSPICE, Carolina (Calycanthus floridus). Bushy.	Each.
3 to 4 ft. \$8.00 per 10	
ARALIA. Five-leaved (A. pentaphylla). Sturdy. 4 to 5 ft. \$8.00 per 10	1.00
BUCKTHORN, Western (Rhamnus frangula). Well branched small trees. 5 to 6 ft. \$12.00 per 10	1.50
CORNELIAN CHERRY (Cornus mas). Bushy. Full of buds. 4 ft. \$10.00 per 10	1.25
DESMODIUM penduliflorum Strong, 5-year clumps.	1.00
DEUTZIA. Double White-flowered. Bushv. Strong.	1.00
4 to 5 ft. \$8.00 per 10	1.00
DEUTZIA. Double Pink. Hardy. 4 to 5 ft. \$8.00	
per 10	1.00
DEUTZIA. Lemoine's. Sturdy. Low-bushes. 2 to	
3 ft. \$6.00 per 10	.75
DOGWOOD. Bailey's (Cornus baileyii). Rare, Choice.	
5 to 6 ft	1.50
DOGWOOD. White-flowering. (Cornus floridus).	
Heavy. 5 to 6 ft. \$1.50 each. 6 to 7 ft	3.00
DOGWOOD. Red Ozier (Cornus alba). Broad, low-	
branched. 4 to 5 ft	.75
DOGWOOD. Golden-barked. Heavy. Rare. 3 to 4ft	1.50
DOGWOOD. Silver-leaved. Strong well branched	
bushes. 3 to 4 ft. \$8.00 per 10	1.00
DOGWOOD. Round-leaved (Cornus circinata). Rare.	
Fine. 3 to 4 ft.	1.00
ELDER. Red-berried (Sambucus racemosa). Fine.	2,00
4 to 5 ft.	1.50
GOLDEN-BELL, Fortune's (Forsythia fortunei). 4 to	1.00
5 ft. \$6.00 per 10	.75
GROUNDSEL TREE. Bushy. 3 to 4 ft. \$6.00 per 10	.75
	.13
HONEYSUCKLE, Bush or Tartarian. Fine. 5 to 6 ft.	1.00
\$8.00 per 10	1.00

	EACH.	TEN.
GOUMI see Oleaster Japanese. GROUNDSEL SHRUB (Baccharis). Salt Shrub (B halimijolia). Med. Aut. White. 1 to 2 ft GUELDER ROSE see Snowball. HALESIA see Silver Bell or Snowdrop Tree. HAMMELIS see Hazel Witch. HARDHACK see Cinquefoil, shrubby.		
Salt Shrub (B halimitolia). Med. Aut. White. 1 to 2 ft	\$ .35	
GUELDER ROSE see Snowball.	\$ 100	
HALESIA see Silver Bell or Snowdrop Tree		
HAMAMELIS see Hazel Witch		
HARDHACK see Cinqueton, shrubby		
HAZEL (Corylus and Hamamelis)  Purple-leaved (C. avellina purpurea). Lg. 2 to 3 ft.	.75	
Witch (H. virginiana). Lg. Aut. Yellow flowers. 1 to 2 ft	.35	3.50
HIBISCUS see Althea		
HIPPOPHAE see Sea Buckthorn		
HOLLY (Hisioides including Newgranthes)		
Mountain (I. mucranata), Med. Spg. Crimson berries, 1 to		
# IU	.50	4.50
HONEYSUCKLE (Lonicera) see also Vines		
Alpine (L. alpigena). Med. E. Sum. Scarlet berries. 1 to 2 ft. Bella albida. Lg. E. Sum. Pink and white flowers. 2 to 3 ft. Bella candida. Lg. E. Sum. Pink and white flowers. 2 to 3 ft. Fly, American (L. ciliata). Sm. Sum. 1 to 2 ft	0.5	
Rella candida La E Sum Pura white flowers 2 to 3 ft.	.35 .35	
Fly. American (L. ciliata). Sm. Sum. 1 to 2 ft.	.50	
Fly, European (L. xylosteum), Med, E. Sum. 2 to 3 ft	.35	
Fly, Mountain (L. coerulea). Med. Sum. Blue berries. 1		
to 2 ft	.50	4.00
Goldon flowered (L. shangartha) Lg. Spg. Yellow. 2 to 3 tt	,35 , <b>5</b> 0	
Graceful (L. gracilines or phylometa) 2 to 3 ft.	.50	4.00
Ledebour's (L. ledebouri). Lg. Sum. 2 to 3 ft	.35	1.00
Morrow's (L. morrowi). Lg. E. Sum. Red flowers. 2 to 3 ft.	.35	3.50
Yellow-fruited. 2 to 3 ft	.50	4.00
to 2 ft. Fragrant (L. fragrantissima). Lg. Spg. Yellow. 2 to 3 ft Golden-flowered (L. chrysantha). Lg. Spg. 2 to 3 ft Graceful (L. gracitipes or phylometa). 2 to 3 ft Ledebour's (L. ledebouri). Lg. Sum. 2 to 3 ft Morrow's (L. morrowi). Lg. E. Sum. Red flowers. 2 to 3 ft. Yellow-fruited. 2 to 3 ft Ruprecht's (L. rupretchtiana). Scarlet berries. 2 to 3 ft Tartarian (L. tatarica). Med. Spg. White flowers. 2 to 3 ft. Pink or red-flowered. 2 to 3 ft Yellow Bush (Dirvrilla trifida). Sm. Sum. 1 ft HORSECHESTNUT DWARF see Trees.	,35	3.50
Pink or red-flowered 2 to 3 ft	.35 .35	3.00
Yellow Bush (Diervilla trifida). Sm. Sum. 1 ft	.25	2.00
HORSECHESTNUT DWARF see Trees	.20	2.00
HORSECHESTNUT DWARF see Trees.  HYDRANGEA  White-leaved (H. radiata or nirea). Sm. Sum. 1 to 2 ft  Wild (H. arborescens). Med. Sum. White flowers. 1 to 2 ft  Oak-leaved (H. quercifolia). Med. Sum. Rare  Vestita or pubescens. Med. Sum. White. 1 to 2 ft  Panicled (H. paniculata). Lg. E. Sum. 2 to 3 ft.  Early flowered form. Lg. Sum. 2 to 3 ft.  Garden (H. paniculata grandiflora). 2 to 3 ft.  The common large-flowered type. 3 to 4 ft.  HYPERICUM see St. John's Wort.  ILEX see Evergreen Shrubs.  ILICIUM see Mountain Holly.  INDIGO SHRUB (Amorpha).		
White-leaved (H. radiata or nivea). Sm. Sum. 1 to 2 ft	.50	
Wild (H. arborescens), Med. Sum. White flowers, 1 to 2 ft	.35 .75	
Vestita or nuhescens Med Sum White 1 to 2 ft	.50	
Panicled (H. paniculata). Lg. E. Sum. 2 to 3 ft	.35	
Early flowered form. Lg. Sum. 2 to 3 ft	.50	
Garden (H. paniculata grandiflora). 2 to 3 ft	35	
The common large-nowered type. 3 to 4 it	.50	
II.EX see Evergreen Shrubs		
ILICIUM see Mountain Holly		
INDIGO SHRUB (Amorpha)  False (A. fratiticoso). Med. Sum. Purple and yellow. 2 to 3 ft.  See also Lead Plant		
False (A. fruiticosa). Med. Sum. Purple and yellow. 2 to 3 ft.	.35	3.00
See also Lead Plant EHOPOTO ON Church		
INKBERRY (Ilex glabra) see Evergreen Shrubs. ITEA see Willow, Virginian. JEW'S MALLOW (Kerria including Corchorus)		
JEW'S MALLOW (Kerria including Corchorus)		
Japanese (K. japonica). Med. Spg. and Sum. Yellow. 1 to 2 ft.	.25	2.00
Japanese $(K. japonica)$ . Med. Spg. and Sum. Yellow. 1 to 2 ft. Double yellow $(K. japonica, fl., pl.)$ 2 to 3 ft	.35	3.00
	.35	3.00
JUNE BERRY see Shad Bush		
White (Rhodotypus kerrioides). Med. Sum. and Aut. 2 to 3 ft.	.35	3.00
LEAD PLANT (Amorpha canescens). Dwf. Sum. Silver. 1 to 11/2 ft.	.50	
LESPIDEZA or DESMODIUM (Lespideza)	w.c	
Siepola's (L. Siebolan or D. penduliflorum). Purple	.50	± 00
KERRIA see Jew's Mallow.  White (Rhodotypus kerrioides). Med. Sum. and Aut. 2 to 3 ft. LEAD PLANT (Amorpha canescens). Dwf. Sum. Silver. 1 to 1½ ft. LESPIDEZA or DESMODIUM (Lespideza).  Siebold's (L. Sieboldii or D. penduliflorum). Purple.  Japanese (L. japonica). Lg. Sum. White flowers.  Bicolor Lg. Sum. Pink and white. 2 to 3 ft.	.50 .50	
LIGUSTRUM see Privet.	.00	
LILAC (Syringa)		
Common (S. vulgaris). Lg. Spg. Purple. 2 to 3 ft	.35	3.00
White (S. v. alba). Lg. Spg. Pure white, 2 to 3 ft	.35	3.00
LIGUSTRUM see Privet.  LILAC (Syringa).  Common (S. rulgaris). Lg. Spg. Purple. 2 to 3 ft  White (S. v. alba). Lg. Spg. Pure white. 2 to 3 ft  Japanese Tree (S. japanica). Lg. E. Sum. White. 4 to 5 ft.  Hungarian (S. josikaea). Med. E. Sum. Purple. 2 to 3 ft	1.00 .50	9.00 4.00
Little with the formation, block in built, in pie. 2 to 5 to	.00	X.00

HOP TREE. Golden-leaved. (Ptelia trifoliata aurea.)	4
Strong. 4 to 5 ft	1.50
Heavy. 4 to 5 ft. 88.00 per 10	1.00
HYDRANGEA. Vestita. Rare. Choice. 3 to 4 ft.	1100
\$7.50 per 10	1.00
JUDAS TREE or Red Bud (Cercis canadensis). Fine.	
6 to 7 ft	1.50
to 4 ft. \$6.00 per 10	.75
LILAC. Himalayan (Syringa emodi). Specimens, 4 to	
5 ft LILAC. White. Busny. 3 to 4 ft\$6.00 per 10	1.50
	.75
PHOTINIA. villosa. Bushy specimens. 4 to 4 1-2 ft	1.00
SNOWBALL. Common. Fine. 4 to 5 ft	1.00
SPICE BUSH (Benzoin odoriferum). Sturdy. Bushy.	
5 to 7 ft	$\frac{1.50}{1.00}$
SPIRAEA. dr. Regel's. Rare. Heavy. 5 ft	1.00
-	1.00
SPIRAEA. Golden-leaved (S. opulifolia aurea). 5 to 6 ft.	1.25
SPIRAEA. Hornbeam-leaved (S. carpinifolia). 5 ft	1.00
SPIRAEA (S. opulifolia). Ninebark. Large. 5 to 6 ft	1.00
SPIRAEA. Bumald's. Heavy. Fine	.75
SPIRAEA. White Japanese. Broad clumps. 2 to	
2 1-2 ft.  SPIRAEA. Round-leaved (S. rotundifolia). 4 to 5 ft.	$\frac{.50}{2.00}$
SYRINGA or Mock Orange. Showy. 3 to 4 ft	1.25
SYRINGA. Sweet-scented. Large clumps. 4 to 5 ft	1.25
THORN. Cock's-Spur (C. crus-galli). Sturdy. 6 ft	1.50
THORN. Scarlet (C. coccinea). Low-branched. 6 ft.	1.90
\$12.00 per 10	1.50
THORN. Washington (C. cordata). Heavy. 5 to 6 ft.	2100
\$12.00 per 10	1.50
VIBURNUM lantana. Broad. 4 to 5 ft	1.00
VIBURNUM lentago. Low-branched, 5 to 8 ft	2.00
VIBURNUM prunifolium. Fine. Bushy. 3 to 4 ft	.75
VIBURNUM Sieboldii. Well developed. 4 to 5 ft	2.50
VIBURNUM tomentosum. Broad. Bushy. 4 to 5 ft.	2.00
5 to 6 ft	5.00
4 to 5 ft	1.25
WEIGELIA. Rose-flowered (W. rosea). Specimen. 4 to	0
5 ft	.75
WEIGELIA. White-flowered (W. candida). Sturdy. 3 to	.75
4 ft	. 10)
per 10	.75

LILAC - Continued.	EACH.	TEN.
Himalayan (S. emodi or villosa). Med. Spg. Flesh. 2 to 3 ft. Chinese (S. chinensis). Med. E. Sum. Purple. 2 to 3 ft	\$ .50	\$ 4.00
Chinese (S. chinensis). Med. E. Sum. Purple. 2 to 3 ft	.50	4.50
Persian (S. persica). Med. E. Sum. 2 to 3 ft	.35	3.00
Cut-leaved (S. p. laciniata) 2 to 3 ft.	.35 .50	3.50 4.50
Pekin (S. ligustring). Lg. Sum. White. 2 to 4 ft	.50	4.00
Rouen (S. chinensis v. Rothmagensis). Red. 2 to 3 ft	.35	3.00
Oblate-leaved (S. oblata). Med. Sum. White. 1 to 2 ft	.75	
Hybrid Lilacs. See opposite page.		
MATLOW see Spice Bush in Trees		
MESPILUS see Shad Bush		
White (S. p. alba) Lavender-white. 2 to 3 ft. Cut-leaved (S. p. laciniata). 2 to 3 ft		
Red-flowered (D. mazereon) Dwf. Spg. Red berries 1 to 2 ft.	.50	
White-flowered (D. m. alba). Orange berries. 1 to 2 ft	.50	
MIST PURPLE see Fringe, Purple in Trees.  MOCK ORANGE see Syringa.  MULBERRY, French (Callicarpa).  American (C. purparea). Med. Spg. Purple flowers. 1½ to 2 ft.  Japanese (C. japonica). Med. Spg. Purple berries. 1 to 2 ft.  MYRICA see Myrtle, Wax.  MYRTLE (Myrica)  Wax or Candle berry (M. cerifera). Med. 1 to 1½ ft		
MULBERRY. French (Callicarna)		
American (C. purpurea). Med. Spg. Purple flowers. 1\frac{1}{2} to 2 ft.	.35	3.00
Japanese (C. japonica). Med. Spg. Purple berries. 1 to 2 ft	.35	
MYRICA see Myrtle, Wax		
Way or Candleberry (M. carifera) Med. 1 to 11 ft	.35	3.00
NANNY-BERRY see Viburnum	.00	5.00
NEW JERSEY TEA (Ceanothus)		
Red Root (C. americanus). Dwf. Aut. White. 1 to $1\frac{1}{2}$ ft	.35	3.00
NINE-Bark see Spiraea		
CLEASTER (Eleagnus)	.50	
Fruiting form rare. 1 to 2 ft	.75	
Narrow-leaved (E. angustifolia). Lg. 2 to 3 ft	.50	4.00
Goumi or Japanese (E. longipes or edulis). 2 to 3 ft	.50	4.50
Berry-bearing plants scarce. 2 to 3 ft.	.75	
All with showy red or silvery herries	.50	
OZIER see Dogwood		
MYRTLE (Myrica)  Wax or Candleberry (M. cerifera). Med. 1 to 1½ ft.  NANNY-BERRY see Viburnum  NEW JERSEY TEA (Ceanothus).  Red Root (C. americanus). Dwf. Aut. White. 1 to 1½ ft.  NINE-Bark see Spiraea.  OLEASTER (Eleagnus).  Silver Berry (E. argentea). Sm. Sum. 1 to 2 ft.  Fruiting form rare. 1 to 2 ft.  Narrow-leaved (E. angustifolia). Lg. 2 to 3 ft.  Goumi or Japanese (E. longipes or edulis). 2 to 3 ft.  Berry-bearing plants scarce. 2 to 3 ft.  Few-flowered (E. parriflora). Lg. 2 to 3 ft.  All with showy red or silvery berries.  OZIER see Dog Wood.  PANAX seessiflora Lg. Showy black fruits.  PAVIA, see Horsechestnut under Trees.  PEARL BUSH (Exochorda)	.75	
PAVIA, see Horsechestnut under Trees		
PEARL BUSH (Exochorda)  Common (E grandiflora). Lg. Spg. White. 2 to 3 ft	.50	4.00
Alberti (E. alberti). Med. Spg. White. 2 to 3 ft	1.00	4.00
PEPPER BUSH see Clethra. PHILADELPHUS see	1.00	
Syringa PINXTAR FLOWER see Azalea PLIIM (Prunus)		
PINXTAR FLOWER see Azalea		
Double-flowered (P triloha) La Spa Pink 2 to 3 ft	.50	4.50
POTENTILLA see Cinquefoil.	.50	4.00
PRIVET (Ligustrum)		
Amoor River (L. ciliatum). Lg. Sum. Black berries. 1 to 2 ft.	.35	3.00
California (L. ovalifolium). Lg. Sum. 2 to 3 ft	.35	3.00
Common (Lawleye) To Sum Plack harries 11 to 9 ft	.50	4.00
Thote's (L. iboti). Lo Sum. Black berries. 12 to 2 ft.	.35 .35	3 00 3.00
Dr. Regel's (L. regelianum). Med. Sum. Choice 1 to 1\(\frac{1}{2}\) ft	.35	3.25
Ciliated (L. ciliatum or media). Med. Sum. 1 to 2 ft	.35	3.25
PYRUS see Choke Berry or Quince		
Common (C. andragie) La F. Sum Birk forces 2 to 5 ft	=0	4 50
Japanese or Fire Bush (C. japanica) Med 2 to 3 ft.	.50 .35	4.50 3.00
Single, orange, scarlet or white. 1 to 2 ft	.35	0.00
Maule's (C. j. maulei). Dwf. Spg. Orange flowers. 1 to 1\frac{1}{2} ft.	.50	
RASPBERRY (Rubus)	0=	0.00
Salmon-herry (Penegrabilis) Med. All Sum. Red. 1 to 2 ft	.35	3.00
RHAMNUS see Buckthorn. RHODODENDRONS see	.50	
Evergreen Shrubs		
PINXTAR FLOWER see Azalea  PLUM (Prunus) Double-flowered (P. triloba). Lg. Spg. Pink. 2 to 3 ft.  POTENTILLA see Cinquefoil.  PRIVET (Ligastrum).  Amoor River (L. cilialum). Lg. Sum. Black berries. 1 to 2 ft. California (L. ovalifolium). Lg. Sum. 2 to 3 ft.  See also Hedge Plants. 4 to 5 ft.  Common (L. vulgare). Lg. Sum. Black berries. 1½ to 2 ft. Ibote's (L. iboti). Lg. Sum. Black berries. 1½ to 2 ft.  Dr. Regel's (L. regelianum). Med. Sum. Choice 1 to 1½ ft  Ciliated (L. cilialum or media). Med. Sum. 1 to 2 ft.  PYRUS see Choke Berry or Quince.  QUINCE (Cydoniu or Pyrus).  Common (C. vulyaris). Lg. E. Sum. Pink flowers. 3 to 5 ft  Japanese or Fire Bush (C. japonica). Med. 2 to 3 ft  Single, orange, scarlet or white. 1 to 2 ft.  Maule's (C. j. maulei). Dwf. Spg. Orange flowers. 1 to 1½ ft.  RASPBERRY (Rubus).  Flowering (R. odoratus). Med. All Sum. Red. 1 to 2 ft.  Salmon-berry (R. spectabilis). Med. Sum. White 1 to 2 ft.  RHAMNUS see Buckthorn. RHODODENDRONS see  Evergreen Shrubs  RHODORA (Rhodora).  Canadian (R. canadensis). Sm. Spg. Purple. 1 to 1½ ft.	-	
RHODOTYPUS see Karria white Pulls are Same a	.50	
Canadian (R. canadensis). Sm. Spg. Purple. 1 to 1½ ft RHODOTYPUS see Kerria, white. RHUS see Sumac RIBES see Currant. ROSE ACACIA see Acacia Rose.		

#### HYBRID LILACS.



Lilac.

Marie Legraye.

Unquestionably the Hybrid Lilacs will always find a warm spot the heart of every flower lover. Hardy, vigorous, and strong in habit, wonderfully free bloomin, with deliciously fragrant flowers, varying in different sorts from the purest white through shades of lavender and clear pink to deepest lilac and velvety purple. they are bound to be appreciated and used. No private place can be considered complete without one or more plants, and the best double and large flowered single sorts can well be used in the more prominent positions of lawn or garden.

The hybridists have worked revelations in the size and color of flowers in both single and double sorts, so that to-day nearly one hundred and fifty named kinds are offered. After careful investigation, comparison and inquiry, I find that all the range in color and form can be as well comprised in the following selection, as by extending the list, and I can offer these with full assurance of their giving the highest satisfaction.

#### THE BEST FOUR SINGLE LILACS.

MARIE LEGRAYE. Immense branched panicles of fragrant, purest white flowers. \$1.00 each.

LUDWIG SPAETH. Long, cylindrical, dense spikes of darkest reddish-purple flowers. \$1.00 each.

LOVANIENSIS. Huge panicles of rich, silvery pink flowers, \$1.00 each.

DR. LINDLEY. Rich, purplish lilac flowers, with distinctly red buds. Large, showy panicles. \$1.00 each.

The set of four varieties for \$3.00.

#### THE BEST FOUR DOUBLE LILACS.

EMILE LEMOINE. Rosy lilac in dense, irregularly globular, large and showy panieles. \$1.00 each.

MADAM ABEL CHATENAY. Purest white, very double, and richly fragrant. \$1.00 each.

MICHAEL BUCHNER. Dwarf habit, and bearing a profusion of very double, pale lilac flowers in showy erect panicles. \$1.00 each.

PRES. GREVY. Rich, clear blue, with large individual flowers, and immense panicles, often nearly a foot in length. \$1.00.

The set of four varieties for \$3.00.

DOGE OF CITADON AND A	EACH.	TEN.
ROSE OF SHARON see Althea.  ROSE (Roso). Single-flowered species.  Alpine (R. alpina). Lg. E. Sum. Deep Pink. 1 to 2 ft  Dog (R. canina). Lg. Sum. Red. 1 to 2 ft  Egiantine or Austrian (R. lulea). 1 to 2 ft.  Japanese (R. mulliflora). Lg. E. Sum. White flowers, showy fruit, climbing. 2 to 3 ft.		
Alpine (R. alvina). Lg. E. Sum. Deep Pink. 1 to 2 ft	\$ .50	84.50
Dog (R. canina). Lg. Sum. Red. 1 to 2 ft	.35	3 00
Eglantine or Austrian (R. lutea). 1 to 2 ft	.50	
Japanese (R. multiflora). Lg. E. Sum. White flowers, showy		
fruit, climbing. 2 to 3 ft	.35	3.00
Meadow (R. blanda). Sm. Sum. Rosy pink, I to 2 ft	.35	3.00
Morthogstorn (R nitida) Sm. Sum. Pink 1 to 2 ft.	.35 .35	3.00
Prairie (R. setigera). Sum. Rosy pink Climbing. Late.	.00	3.00
	.50	4.00
Ramanas (R. rugosa). Med. All Sum. Red		
Showy foliage, fruits and flowers. 1 to 2 ft	.50	4.00
White (R. rugosa alba). Orange fruits. 1 to 2 ft	.50	4.00
Red-leaved (K. Jerruginea of rubrijoua) Med. Sum	=0	1.00
Punning (R renews) Climbing E Sum White 1 to 2 ft	.50 .35	$\frac{400}{3.00}$
Scotch or Burnet (R. spinosissima). Sm. E. Sum. 1 to 1 ft.	.50	4.00
Red foliage, showy. 2 to 3 ft.  Running (R repens). Climbing E. Sum. White. 1 to 2 ft  Scotch or Burnet (R. spinosissima). Sm. E. Sum. 1 to 1½ ft.  Shining-leaved (R. lucida). Sm. Sum. Pink. Red fruits.	.00	1.00
	.35	3.0€
White $(R. l. albus)$ . Pure white. 1 to $1\frac{1}{2}$ ft	.50	4.00
Swamp (R. carolina). Med. Sum. Pink. Red fruits. 1 to 2 ft.	.35	3.00
White (R. l. albus). Pure white. 1 to 1½ ft.  Swamp (R. carolina). Med. Sum. Pink. Red fruits. 1 to 2 ft.  Sweet Brier (R. rubiginosa). Lg. E. Sum. Flesh pink. 1 to 2 ft.	.35	3.00
RUBUS see Rasberry SALMONBERRY see Rasberry		
SAMRUCUS see Elder		
SAMBUCUS see Elder SEA BUCKTHORN (Hippophea) Common (H. rhamnoides), Lg. Sum. Orange berries 2 to 4 ft.		
Common (H. rhamnoides). Lg. Sum. Orange berries 2 to 4 ft.	.35	3.50
Fruiting plants 1 to 2 ft	.50	
SHEEP BERRY see Viburnum		
SILVER BELL (Mohrodendron or Halesia)		
Snowdrop Tree or (M. tetraptera). Lg. Spg. White 2 to 3 ft.	.50	4.50
SMOKE BUCH and Eminga Trace Durmle		
SNOWBALL see Viburnum		
SNOWBERRY (Sumphoricarous)		
Common (S. rucemosus). Sm. Spg. White berries 1 to 2 ft	.35	3.50
Soft-leaved (S. mollis) Sm. Spg. White berries 1 to 11 ft	.50	
Red or Coral Berry (Svulgaris). Sm. Spg. 1 to 2 ft	.35	3.00
Golden-leaved (S. v. vg/a.) Sm. 1 to 2 ft	.35	1.00
SNOWDPOD TDFF see Silver Boll	.50	4.00
SPINDLE TREE (Francisco) See also Trees and Ever-		
Common (II. shamioides). Lg. Sum. Orange berries 2 to 4 ft. Fruiting plants 1 to 2 ft  SHEEP BERRY see Viburnum.  SILVER BELL (Mohrodendron or Halesia).  Snowdrop Tree or (I. letraptera). Lg. Spg. White 2 to 3 ft.  SILVER THORN see Oleaster  SMOKE BUSH see Fringe Tree Purple  SNOWBALL see Viburnum.  SNOWBALL see Viburnum.  SNOWBERRY (Sympharicarpus).  Common (S. recemosis). Sm. Spg. White berries 1 to 2 ft  Soft-leaved (S. mollis) Sm. Spg. White berries 1 to 1½ ft  Red or Coral Berry (S vulgaris). Sm. Spg. 1 to 2 ft  Golden-leaved (S. r. rgla.) Sm. 1 to 2 ft  Wolfberry (S. occidentalis). Sm. Spg. White berries 1 to 1½ ft  SNOWDROP TREE see Silver Bell  SPINDLE TREE (Euonymus). See also Trees and Evergreens.		
Cork-barked (E. alatus). Lg. Scarlet berries, 1 to 1½ ft Chinese (E. yeddoenis). Lg. Pink berries, 2 to 3 ft. Creeping (E. radicans). See Evergreen shrubs	.75	7.00
Chinese (E. yeddoenis). Lg Pink berries, 2 to 3 ft	1.00	
Creeping (E. radicans). See Evergreen shrubs		
Running (E. obovatus). Sm. Grey and orange berries 6 to 12 ft.	.35	
Strawberry-high (F americanus) Sm. Red berries 1 to 2 ft.	.50 .50	
Warty-barked (E. rerrucosus) Med. Black herries 2 to 3 ft.	1.00	
SPIRAEA (Spiræa)		
Anthony Waterer (S. bumalda v. a. w.) Sm. All Sum. 1 to 11 ft.	.35	3.00
Arguta. Med. Spg. Pure white, very early. 1 to 2 ft	.35	3.00
SPIRAEA (Spireau).  Anthony Waterer (S. bumaida v. a. w.) Sm. All Sum. 1 to 1½ ft. Arguta. Med. Spg. Pure white, very early. 1 to 2ft Ash-leaved (S. sorbifolia). Med. Sum. White. 1½ to 2ft Blue see Verhama Shrub	.35	3.00
Blue see Verbena Shrub	.35	3.00
Rumald's (S. humalda) Sm. All Sum. Pink. 1 to 11 ft	.35	3.00
Fortune's (S. callosa), Med. E. Sum. Pink. 2 to 3 ft.	.35	3.00
White Flowered (8. callosa alba). Dwf. 1 to 1½ ft	.35	3.00
Ninebark (S. opulifolia). Lg. E. Sum. White. 2 to 3 ft	.35	3.00
Golden-leaved (S. opulifolia aurea). 2 to 3 ft	.35	3.00
St. Peter's Wreath (S. trilobata). Med. White. 1 to 2 ft	.35	3.00
Van Houtto's (S. van houtsi) Med. Spg. White. 1 to 2 ft	.35 .35	3.00
Blue see Verbena Shrub.  Bridal Wreath (S. prunifolia v. fl. pl.). White. 2 to 3 ft.  Bumald's (S. bunada). Sm. All Sum. Pink. 1 to 1½ ft  Fortune's (S. callosa). Med. E. Sum. Pink. 2 to 3 ft  White Flowered (S. callosa alba). Dwf. 1 to 1½ ft  Ninebark (S. opulifolia). Lg. E. Sum. White. 2 to 3 ft  Golden-leaved (S. opulifolia anvea). 2 to 3 ft  St. Peter's Wreath (S. trilobata). Med. White. 1 to 2 ft  Thunberg's (S. thunbergii: Med. Spg. White. 1 to 2 ft  Van Houtte's (S. van houteii). Med. Spg. White. 1 to 2 ft  STAGER BUSH (Pieris or Andromeda).  Common (P. mariana). Dwf. Spg. White. 1 to 1½ ft	.00	3.00
Common (P. mariana). Dwf. Spg. White. 1 to 12 ft	.35	3.00
STADUVITED AND DIADDED MITTE		

#### HARDY ROSES.

The Roses supplied are those which fifty years' experience have proved best adapted to our New England conditions. The stock supplied is the best obtainable, and none of the cheaper grades of imported material is tolerated. No attempt is made to sell at the lowest rates that may prevail, but rather to maintain the highest standard of best quality.

Price, strong budded 2-year plants, 50 cts. each, \$4.00 per ten. Own root plants supplied at the same rate of such varieties that can be so obtained.

#### HYBRID PERPETUAL ROSES.

- WHITE VARIETIES: Baron de Maynard. Coquette des Alpes, Gloire Lyonnaise. Mabel Morrison. Merveille de Lyon, etc.
- PINK AND ROSE VARIETIES: Anna de Diesbach, Baroness Rothschild, Capt. Christy, Duchess of Albany, Eugene Verdier, Francois Michelon, Henreich Schultheis, John Hopper, La France, Magna Charta, Mad. Gabriel de Luizert, Mrs. John Laing, etc.
- RED AND SCARLET VARIETIES: Abel Carrier, Alfred Colomb, Baron de Bonstetten, Chas. Lefebvre, Earl of Dufferin, Fisher Holmes, Genl. Jacqueminot, Jules Margotten, Louis van Houtte, Marshall P. Wilder, Paul Neyron, Pierre Notting, Prince Camille de Rohan, Ulrich Brunner, etc.

#### MOSS ROSES.

Blanche Moreau, White Bath, Crested Moss, Gracilis, Princess Adelaide, etc.

#### POLYANTHA ROSES.

Cecile Brunner, Mignonette, Perle d'Or, etc. Cothilde Soupert. Very double, white tinged pink; a continuous bloomer. Elegant bedder. The finest of this class.

#### SUMMER ROSES.

Austrian Copper, Harrison's Yellow, Damask, Red, Persian Yellow, Scotch, Madam Hardy, or Old Cottage, etc. Madam Plantier, the finest double white summer rose, elegant for single planting or as a hedge plant.

#### CLIMBING ROSES.

Dawson (Flesh Pink), Baltimore Belle (White), Queen of Prairie (Red), Prairie (Single Pink), Crimson Rambler (Crimson), Yellow Rambler or Aglaia (Yellow turning white), White Rambler or Thalia (Pure White).

#### HYBRID MEMORIAL ROSES.

Manda's Triumph (Double White), Pink. Roamer (Single Pink), Dorothy Perkins (Double Pink). Debutant (Double flesh).

ST IOUN'S WORT (Hungwigum)	EACH.	TEN
ST. JOHN'S WORT (Hypericum).  Dense-flowered (H. densiflorum). Sm. Sum. Yellow. 1 to 1½ ft Golden (H. aureum). Sm. Sum. Yellow. Choice. 1 ft	\$ .35	\$3.00
Golden (H. aureum). Sm. Sum. Yellow. Choice. 1 ft	.50	4.00
Kalm's (H. kalmianum). Sm. Sum. Yellow. 1 to 2 ft	.35	3.00
Kalm's (H. kalmianum). Sm. Sum. Yellow. 1 to 2 ft	.35	3.00
Prolific (H. prolificum). Sm. Sum. Yellow. 1 to 2 ft	.35	3.00
Spreading (H. patutum). Dwi. Sum. Yellow. 6 in	.50	3.50
STEPHANANDRAFlexuosa		
Tanakaa		
Tanakae. STRAWBERRY BUSH see Spindle Tree. STUARTIA (American Camelia) pentagynia. Lg. Sum.		
STUARTIA (American Camelia) pentagynia. Lg. Sum.		
White flowers. 1 to 2 ft	.75	6.50
SUMAC (Rhus).		
SOMAC (Raus).  Fragrant (R. aromatica). Sm. Choice, 1 to 1½ ft.  Osbeck's (R. semi-alatus osbeckii). Lg. Sum. 2 to 3 ft.  Finest in flower and autumn coloring. 3 to 5 ft.  Shining (R. copallina). Med. Sum. 1 to 2ft.  Smooth (R. glabra). Lg. Sum. 2 to 3 ft.  Cut-leaved (R. glabra laciniata). 1 to 1½ ft.  Stag-horn (R. typhina). Lg. Sum. 2 to 3 ft.  Fern-leaved (R. typhina lacinata). 1 to 1½ ft.	.75	6 00
USDECK'S (K. semi-alatus osoeckii). Lg. Sum. 2 to 3 it	.50	5.00
Shining (P. congling) Med Sum 1 to 9 ft	1.00 .35	8.00 3.00
Smooth (R. alabra). La Sum 2 to 3 ft	.35	3.00
Cut-leaved (R. glabra laciniata). 1 to 1½ ft	.50	4 50
Stag-horn (R. typhina). Lg. Sum. 2 to 3 ft	.35	3.00
Fern-leaved (R. typhina lacinata). 1 to 1½ ft	.50	4.50
SWEET-LEAF (Symplocus).  Japanese (S. crataegioides). Lg. Spg. Blue fruits. 2 to 3 ft.  SWEET PEPPER BUSH see Clethra.  SYPING A (Philaddrhy) - Mock Orengo	4 80	40.00
Japanese (S. crataegioides). Lg. Spg. Blue fruits. 2 to 3 ft.	1,50	12.00
SWEET PEPPER BUSH see Clethra.		
SYRINGA (Phitadelphus) or Mock Orange.  Downy-leaved (P. pubescens). Ig. Sm. White. 2 to 3 ft  Gordon's (P. gordonianus). Ig., Sum. White. 2 to 3 ft  Large-flowered (P. grandiflora). Ig. Sum. White. 2 to	.35	3.00
Gordon's (P. gordonignus). Lg. Sum. White, 2 to 3 ft.	.35	3.00
Large-flowered (P. grandiflorg), Lg. Sum. White, 2 to	.00	0.00
	.35	3.00
Lemoine's (P. lemoinii). Sm. Sum. White. 1 to 2 ft Showy (P. speciosus). Med. Sum. White. 2 to 3 ft Small-leaved (P. microphylla). Dwf. Sum. White. 1 to 2 ft. Sweet-scented (P. coronarius). Med. E. Sum. White. 2	.50	4.50
Showy (P. speciosus). Med. Sum. White. 2 to 3 ft	.35	3.00
Small-leaved (P. microphylla). Dwf. Sum. White. 1 to 2 ft.	.75	6.00
Sweet-scented (P. coronarius). Med. E. Sum. White. 2	0.5	2.00
to 3 ft  Dwarf (P. coronarius nana). E. Sum. White 1 to 1½ ft	.3 <b>5</b> .35	$\frac{3.00}{3.00}$
Golden-leaved (P. coronarius aurea). 1 to $1\frac{1}{2}$ ft	.35	3.00
MIARA DICIT (M	.00	9.00
TAMARISK (Tamaras).  African (T. africana). Lg. Sum. Pink and white, 2 to 4 ft  Japanese (T. japonica plumosa). Lg. Sum. Pink. 2 to 4 ft.  Odessa (T. odessiana). Med. Sum. Pink and white. 2 to 3 ft  THORN see Silver Thorn or Trees.  VACCINIUM see Blueberry.  VERBENA SHRUB (Caryopteris) or Blue Spiraea.  C. mastacanthus. Sm. 1 to 2 ft	.50	4.00
Japanese (T. japonica plumosa). Lg. Sum. Pink. 2 to 4 ft.	.50	4.00
Odessa (T. odessiana). Med. Sum. Pink and white. 2 to 3 ft	.50	4.00
THORN see Silver Thorn or Trees.		
VACCINIUM see Blueberry.		
C mastacenthus Sm 1 to 2 ft	.35	3.00
VIBURNUM.	.00	3.00
Arrow-wood (V. dentatum). Lg. Sum. 1 to 2 ft	.35	3.50
Appalachian Tea (V. cassinoides). Lg. Sum. 1 to 2 ft	.75	
Cranberry Bush (V. opulis). Lg. Sum. 2 to 2½ ft	.35	3.50
Downy-leaved (V. pubescens). Med. Sum. 1 to 2 ft	1 00	9.00
Guelder Rose or Snowball.	0.5	
Toponoso (V. plicatum) Med. E. Sum	.35 .75	
Manla-leaved (V acerifolium) Med Sng 2 ft	.50	4.00
Nanny-bush or Sheep Berry (V. lentago), Lg. 2 to 3 ft.	.50	4.00
Sargent's (V. sargentii). Lg. Sum. 1 to 2 ft	.75	2100
Siebold's (V. sieboldii). Sg. Sum	.75	
Soft-leaved (V. molle or nepalense). Lg. 2 ft	.50	
VIBURNUM.  Arrow-wood (V. dentatum). Lg. Sum. 1 to 2 ft  Appalachian Tea (V. cassinoides). Lg. Sum. 1 to 2 ft  Cranberry Bush (V. opulis). Lg. Sum. 2 to 2 ft  Downy-leaved (V. pubesceus). Med. Sum. 1 to 2 ft  Guelder Rose or Snowball.  Common (V. opulis sterilis). Med. E. Sum.  Japanese (V. picatum). Med. Sum.  Maple-leaved (V. acerifolium) Med. Sgg. 2 ft  Nanny-bush or Sheep Berry (V. lentago). Lg. 2 to 3 ft  Sargent's (V. sieboldi). Sg. Sum. 1 to 2 ft  Siebold's (V. sieboldi). Sg. Sum.  Soft-leaved (V. molle or nepalense). Lg. 2 ft.  Stag Bush or Black Haw (V. prunifolium). 2 to 3 ft.  Chinese (V. diliatum). Med. E. Sum. 2 to 3 ft.  Chinese (V. diliatum). Med. E. Sum. 2 ft  Wayfaring Tree (V. lantanoides or alnifolium). Lg. 1 to 2 ft.  European (V. lantano) Lg. 2 to 3 ft	.75	6.00
Velvet-leaved (V. tomentosum). Lg. E. Sum. 2 to 3 ft	.75 1.00	
Westfering Tree (V. lantanoides or alnifolium) To 140 944	1.00	
European (V. lantana) Lg. 2 to 3 ft	.35	3.50
Rough-leaved (V. lantana rugosum). Lo. 1 to 2 ft.	.50	4.00
Wright's (V. wrightii). Med. E. Sum. 12 to 2 ft	1.00	2.50
Rough-leaved (V. lantana ragosum). Lg. 1 to 2 ft		
VIRGINIA WILLOW (Itea virginia). Sm. 1 ft	.35	
WAYFARING TREE see Viburnum.		

#### PURCHASING DEPARTMENT.

Using very large quantities of nursery stock in my own contract work, and supplying heavy consignments to the leading landscape architects, parks, cities, and private individuals, I am in a position to obtain the lowest wholesale rates, and am required to have an extensive knowledge of where the best can be obtained for any individual need.

No one plant establishment can maintain a stock of all sizes, and the stock often becomes exhausted, while many special plants can be obtained best only from peculiar sources. I make annual visits to the leading nurseries of this country, and occasional trips to Europe, to keep fully informed as to the best there is in the horticultural trade, and maintain a most careful and extensive card checking system, whereby I am kept informed as to the sources of supply and cost of more than eighteen thousand varieties of plants; special reports, too, are frequently received as to the whereabouts of unusual sizes and grades of stock. My customers benefit from this information and gain by these special rates, whether concerned with contracts for complete planting operations or for small quantities, and I am ready at all times to purchase in any quantity at rates to compare favorably with the quotations of any horticultural establishment.

Because of this definite information as to what can be obtained in the market, customers do not have to meet the very frequent disappointment of seeking special grades and really getting something quite contrary to their wishes, much to the disturbance of their plans for improvement. Importations are made from all parts of the world, and the combination of many orders very materially reduces the cost of packing, freight, and duty charges; the whole matter being under my personal supervision, the all important details of packing and prompt shipment are carefully attended to. Large specimen trees and shrubs are frequently unobtainable from local or individual sources, but I can usually secure such stock from some of my many sources of supply.

WEIGELIA (Diervilla), Dwarf variegated (D. f. v., nana vgta). 1 to 2 ft	EACH. .35	TE:
Eva Rathke. Best dark-colored variety, 2 to 3 ft	\$ .35	\$2.0
Pink (D. rosea). Lg. E. Sum Pink and white. 2 to 3 ft	.35	3.0
Siebold's (D. p. p. sieboldi nana vgta). 1 to 2 ft	.35	3.0
White (D. candida). Lg. E. Sum. Purset white. 2 to 3 ft	.35	3.6
WHITE FRINGE see under Trees.		
WINTER BERRY (Ilex).		
Black alder (I. verticillata). Lg. Crimson berries. 1 to 2 ft.	.35	
Smooth (I. laevigatus). Med. Crimson berries. 1 to 2 ft	.50	
WITCH HAZEL see Hazel.		
WITHE ROD See Viburnum.		
WOLFBERRY see Snowberry.		
XANTHOERAS Sorbifolia Lg. E. Sum 2 ft	1.00	
YELLOW-ROOT (Xanthorrhiza).		
Shruh (X. aniifolia) Dwf. Sng 6 to 12 in	.35	

# VINES.

References - Ramp.	Vines of rampant growth, attaining height of over 30 feet with
	Vig. Free growing, vigorous kinds to a height of from 12 to 30
feet with proper	support. Mod. Low growing kinds seldom exceeding 10 feet in
height with suppo	rt. Spdg. Spreading vines for covering banks or ledges.
Disc. 1	

Blooming season in conspicuous flowered sorts only, indicated as follows: Spg. Earliest blooming. E. Early Summer, Sm. Midsummer and Aut. late summer blooming.

ACTINIDIA Arguta. Ramp. Showy foliage	\$0.50 .75 .35 1.00	\$4.00 6.00 3.00
Creeper. ARISTOLOCHIA see Dutchman's Pipe.		
BIGNONIA see Trumpet Vine.		
BITTER SWEET (Celastrus). Roxbury Wax-work (C. scandens). Vig. Showy orange		
fruits	.35	3.00
Japanese (C. orbiculatus), Mod. Orange fruits	.35	3.00
BRAMBLE (Rubus).		
Cut-leaved (R. laciniatus). Spdg. Fern-like foliage	.50	4.00
English Dewberry (R. dumetorum). Spdg. Showy foliage.	.35	3.00
CELASTRUS see B.tter Sweet.		
CLEMATIS. Crisped (C. crispa). Mod. Sum. Blue, white throated flowers	35	3.00
Heavy-scented (C. graveolens). Mod. Sum. Yellow flowers	.35	3.00
Panicled (C. paniculata). Vig. Aut. Pure white, fragrant	.35	3.00
Scarlet (C. coccinea). Mod. All Sum. Red, yellow flowers	.35	0.00
Virgin's Bower (C. virginiana). Vig. Sum. White. Showy	.25	2.00
Vine Bower (C. vitacella). Mod. Sum. White. Fragrant	.35	3.00
HYBRIDS.		
Henryii, Mod. All Sum. Single. Large white. Best	.75	
Jackmanii, Mod. All Sum. Single purple. Best	.75	
Countess of Lovelace. Mod. All Sum. Double purple.	.75	
Duchess of Edinburgh, Mod. All Sum. Double white.	.10	
Best	.75	
Kermesiana. Vig. All Sum. Si-gle coppery red. Best	.50	
Star of India. Mod. All Sum. Single large red. Best	1.00	
DEWBERRY, English see Bramble.		
DOLICHOS see Pueraria.		
DUTCHMAN'S PIPE (Aristolochia).	P.C	0.00
Common (A, sipho). Vig. Green heart-shaped leaves  Downv-leaved (A, tomentosa). Mod. Light green foliage	.75 .35	6.00 3.00
EUONYMUS see Spindle Tree.	.00	0.00
2001, 11100 wo opinato 1100.		

#### THE MOUNTAIN LAUREL.



Kalmia latifolia.

white to the deepest rose pink. Few broad-leaved evergreens are as beautiful in foliage, and none can excel the beauty and delicate form of its flowers, so wonderfully shaped and ornamented with such elegant shades of color.

clusters varying from

Nursery grown plants, 12 to 18 in. \$1.50 each. \$12.00 per ten; 18 to 24 in. \$2.00 each. \$18.00 per ten.

#### COLLECTED PLANTS.

Mr. J. Woodward Manning was the first to introduce the practice of supplying Mountain Laurel to landscape architects, nurserymen and private owners in carload quantities. He has held for years tracts of thousands of acres, which after extensive exploration, he found to be best adapted for a source of bushy, well developed plants, growing under conditions that would render it possible to obtain fine balls of earth attached to each plant to assure success in after culture. He still holds full control of these tracts, and is prepared to supply stock in carload lots to meet any demand. Special quotations on appplication.

NOTE.—If you do not have a copy of our special circular, "LANDSCAPE EFFECTS," with Collected Plants of MOUNTAIN LAUREL and RHODODENDRONS, send for it before placing orders elsewhere.

GRAPE (Vitis).	EACH.	TEN.
Fox (V. labrusca). Ramp. Showy, broad foliage	\$ .35	\$3.00
Flowering or River (V. vulpina). Ramp. Sum. Showy fruits	.35	
Japan (V. coignetiae). Ramp. Broad, velvety foliage	.50	
Fox (V. labrusca). Ramp. Showy, broad foliage		
Variegated (V. discolor). Mod. Beautifully variegated	.50	4.00
Various-leaved (V. heterophylla). Vig. White fruits	.35	4.00
HONEVCHOILE (Louisson)		
Polorion (I m. holaica) Mod. All Cum. Puff and Pod.	.35	3.00
Chinese (L. ignowieg) Sndr. All Sum. Pich groon foliage	.35	3.00
Evergreen (L. i chinensis) Mod All Sum Purple foliage	.35	3.00
Various-leaved (v. neeropnyda). Vig. white truits  HEDERA see Ivy.  HONEYSUCKLE (Lonicera).  Belgian (L. p. belgica). Mod. All Sum. Buff and Red  Chinese (L. japonica). Spdg. All Sum. Rich green foliage  Evergreen (L. j. chinensis). Mod. All Sum. Purple foliage  Golden (L. j. a. ctrusca). Mod. All Sum.	.35	3.00
Golden (L. j. a. etrusea). Mod. All Sum. Golden netted leaves. Hall's (L. j. halliana). Mod. All Sum. Yellow flowers	.35	3.00
Scarlet Trumpet (L. sempervirens). Mod. Sum. Red flowers.	.35	3.00
Sullivan's (L. sullivanti). Vig. Sum. Crimson fruits European Woodbine (L. periclymenum). Vig. Sum. Yellow	.50	4.00
European Woodbine (L. periclymenum). Vig. Sum. Yellow	.35	3.00
HOP VINE (Humulus) Common (H. lupulus). Vig. Sum. HYDRANGEA (Hydrangea). Climbing (H. petiolaris or scandens). Mod. Sum. White.		
Common (H. lupulus). Vig. Sum	.25	2.00
HYDRANGEA (Hydrangea)		
Climbing (H. petiolaris or scandens). Mod. Sum. White	1.00	
orten improperty caned Schizophragma nydrangeoides, which		
is tender.  IVY (Hedera or Ampelopsis)  Boston (A. tricuspidata). Ramp. Glossy green foliage  English (H. helix). Vig. Thick evergreen foliage  Giant (H. h. raegneriana). Vig. Larger leaves than the last  KUDZU VINE (Pueraria or Dolichos)  Thunberg's (P. thunbergiana). Ramp. Showy divided foliage.  LATHYRUS see Pea. LONICERA see Honeysuckle  LYCIUM see Matrimony Vine.		
Poston (4 trigueridata) Pomp Closey groon foliage	.35	3.00
English (H. helix) Via Thick evergroon folioge	.35	5.00
Gignt (H. h. gaggariang) Vig. Larger leaves than the last	.50	
KIIDZII VINE (Pregaria or Dolichos)	.00	
Thunberg's (P. thunbergiang). Ramp. Showy divided foliage.	.50	
LATHYRUS see Pea. LONICERA see Honevsuckle	100	
LYCIUM see Matrimony Vine.		
MATRIMONY VINE (Lycium).		
Chinese (L. chinensis). Ramp. All Sum. Orange berries	.35	3.00
Common (L. halimifolium). Mod. All Sum. Showy berries	.35	3.00
MENISPERMUM or Moonseed		
LYCIUM see Matrimony Vine.  MATRIMONY VINE (Lycium).  Chinese (L. chinensis). Ramp. All Sum. Orange berries  Common (L. holimifolium). Mod. All Sum. Showy berries  MENISPERMUM or Moonseed	.35	3.00
PEA (Lathyrus).  Perennial (L. latifolius). Mod. All Sum. Pink flowers White-flowered (L. l. albus). Mod. All Sum. White flowers. PERIPLOCA see Silk Vine. ROSES CLIMBING see	05	0.00
Perennial (L. latifolius). Mod. All Sum. Pink nowers	$.25 \\ .25$	$\frac{2.00}{2.00}$
DEDIDI OCA and Cilla Vino DOCES Of IMPING and	. 40	2.00
Roses in Shrubs.		
RUBUS see Bramble.		
SCHIZOPHRAGMA Hydrangeoides the improper name		
SCHIZOPHRAGMA Hydrangeoides the improper name for the Hardy climbing Hydrangea (Hydrangea		
petiolaris).		
petiolaris).  SPINDLE TREE (Euonymus)  Broad-leaved (E. r. carrieri). Spdg. Layer Foliage  Creeping (E. radicans). Spdg. Evergreen glossy foliage  Fruiting form. Yellow and Orange fruits. Showy  Variegated (E. variegata). Spdg. Silvery and green.  SILK VINE (Periploca)  Grecian (P. graeca). Ramp. Sum. Silky, dark green leaves  STAFF VINE see Bitter Sweet.  TRUMPET VINE (Pecoma)  Common (T. radicans). Vig. Sum. Orange Flowers.  Chinese (T. grandiflora). Mod. Sum. Orange Flowers.  VIRGINIA CREEPER (Ampelopsis)		
Broad-leaved (E. r. carrieri). Spdg. Layer Foliage	.35	3.00
Creeping (E. radicans). Spdg. Evergreen glossy foliage	.35	3.00
Fruiting form. Yellow and Orange fruits. Showy	.50	4.00
Variegated (E. variegata). Spdg. Silvery and green	.35	3.00
SILK VINE (Periploca)	0.5	
CTAFE VINTE Ditter Co Sum. Sliky, dark green leaves.	.35	
TOTALE VINE See BILLER SWEEL.		
Common (T and ionna) Via Sum Oranga Flowers	.35	3.00
Chinese (T. grandiflarg) Mod Sum Orange Flowers	.50	0.00
VIRGINIA CREEPER (Ampelopsis)	.00	
VIRGINIA CREEPER (Ampelopsis)		
foliage	.25	2.00
	.35	3.00
VITIS see Grape.		
WISTARIA (Wistaria)		
American (W. speciosa or frutescens). Vig. Sum. Short-		
clustered blue-violet flowers.	.35	3.00
Showy (W. s. magnifica). Vig. All sum. Continuous bloom.	.50	
White (W. S. alba). Vig. Pure White	.50	1.00
Uninese (W. chinensis). Ramp. Spg. Sum. Pale Purple	.50	4.00
White (W. c. st. pt.). Mod. Spg. Sum	1.00	
Tenence (W. c. atoa). Kamp. Spg. Sum. Pure white. Kare	.75	
White (W m alba) Via Spg. rate purple	1.00	
Engleman's (A. q. Englemanii). Ramp. Choice clinging type. VITIS see Grape. WISTARIA (Wistaria) American (W. speciosa or frutescens). Vig. Sum. Short- clustered blue violet flowers. Showy (W. s. magnifica). Vig. All sum. Continuous bloom. White (W. S. alba). Vig. Pure White Chinese (W. chinensis). Ramp. Spg. Sum. Pale Purple Double-flowered (W. c. fl. pl.), Mod. Spg. Sum. White (W. c. alba). Ramp. Spg. Sum. Pure white. Rare Japanese (W. multijuga). Ramp. Spg. Pale purple White (W. m. alba). Vig. Spg.	1.00	

#### POTTED VINES.

We offer the following to meet the demand for quick growing vines to be used after the ordinary spring shipping season has passed.

Everyone is likely to find a blank spot in mid-summer where plants may have failed, or changes occurred, and to which these potted plants may be just suited. Well established potted vines, too, insure a rapidity of growth that could not be expected with lately dug nursery plants.

- AKEBIA quinata. One of the best for dense screen purposes. Pot plants. 50 cts. each; \$3.50 per ten.
- BOSTON IVY. Clings tenaciously to brick or wood. Strong pot plants. 50 cts. each; \$3.50 per ten.
- CLEMATIS paniculata. Myriads of fragrant white flowers in September.

  Pot plants. 35 cts. each; \$3.00 per ten.
- DUTCHMAN'S PIPE or Pipe Vine. A perfect screen vine. Pot plants. \$1.00 each; \$8.00 per ten.
- ENGLISH IVY. For cool, shady brick walls. Strong pot plants. 50 cts. each; \$4.00 per ten.
- GRAPE Variegated. Quick growth; showy, variegated leaves; effective white berries in fall and winter. Pot plants. 50 cts. each.
- HONEYSUCKLE, Chinese. Purple tinged foliage; very rapid growth. Pot plants. 50 cts. each.
- HONEYSUCKLE, Golden. Handsome green and gold netted foliage; fragrant flowers.

  Pot plants. 50 cts. each.
- HONEYSUCKLE, Hall's. Quick growth and a constant succession of fragrant yellow and white flowers. Strong pot plants. 50 cts. each; \$3.00 per ten.
- HONEYSUCKLE, Scarlet Trumpet. Coral showy flowers all summer. Pot plants. 50 cts. each.
- KUDZU VINE. Most rampant growth, showy, bean-like foliage. Pot plants. 50 cts. each.
- MATRIMONY VINE. Rampant growth, showy coral berries in profusion. Pot plants. 50 cts. each.
- VIRGINIA CREEPER. Vigorous growth, good foliage, showy autumn colors.

Pot plants. 50 cts. each; \$3.50 per ten.

- WOODBINE Engleman's. As vigorous as the last, but with clinging tendrils.

  Pot plants. 50 cts. each; \$3.50 per ten.
- WISTARIA, Chinese. Purple flowers in early spring. Rampant growth.

  Strong pot plants. \$1.00 each.

# EVERGREENS.

<ul> <li>References. — Lg. T. Trees exceeding 50 feet in height at maturity. M from 20 to 50 feet in height at maturity. Sm. T. Small trees less theight producing a tree-like effect in general appearance. Lg. S. 10 feet or over at maturity. Med. S. Shrubs between 5 and 10 maturity. Dwf. S. Dwarf shrubs less than 4 feet high. Tr. S trailing shrubs less than a foot in height.</li> </ul>	Large s feet his Creep	feet in shrub igh a ing o
Blooming period indicated as follows, where flowers are an ornane Spg., Spring blooming: E. Sum, Early Summer: Sum., Mid-summer: Johnsoning.		
ABIES see Spruce and Fir.	EACH.	TFN
ADAM'S NEEDLE (Yuca).  Common (Y. plameatosa). Dwf. Sh. Sum. Tall spikes. White, Narrow-leaved (Y. angustifolia). Dwf. Sh. Sum. Short	\$0.35	\$3.00
spikes.  ANDROMEDA (Pieris including Andromeda)  American, Lily of the Valley Tree (P. floribanda). Dwf.	.35	
Sh. Spg	1.50	
1 to 1 ft	1.50	
Fetter-bush (A. nitida), Dwf. Sh. E. Sum. White	.50	4.00
ARBOR VITAE (Thuya) American (T. occidentalis). Med. T. 2 to 3 ft	.50	4.00
See also under Hedge Plants. 3 to 4 ft	1.00	
2 to 3 ft	1.00	
George Peabody (T. o. aurea). Sm. T. Rich gold. 1 to 2 ft.	.75	
George Peabody (T. o. aurea). Sm. T. Rich gold. 1 to 2 ft. Globe (T. o. globosa). Dwf. S. Dense globular habit. 1 ft Hovey's (T. o. Horeyii). Dwf. S. Globular golden green.	.50	2.00
I to 1 ft	.75 .50	6.00
Little Gem (T. o. pygmea). Tr. S. Carpet-like habit. 6 in Pyramidal (T. o. pyramidalis). Sm. T. 1 to 2 ft	.50	4.00
Columnar habit. Deep green at all seasons. 2 to 3 ft	.75	6.00
Siberian (T. o. siberica). Lg. Sh. Rich green. 1 to $1\frac{1}{2}$ ft	.50	4.00
Weeping (T. o. pendula). Sm. T. Drooping habit. 2 to 3 ft.	1.00	
Siberian (T. o. siberica). Lg. Sh. Rich green. 1 to $1\frac{1}{2}$ ft Weeping (T. o. pendulu). Sm. T. Drooping habit. 2 to 3 ft. Woodward (T. o. woodwardi). Dwf. S. Choice. 1 to $1\frac{1}{2}$ ft. ASHBERRY see Barberry, Ash-leaved	.50	
AZALEA see also Deciduous Shrubs	75	6.00
Lovely (A. indica v. amoena). Dwf. Sh. E. Sum. 6 to 12 in. Beautiful hardy red-flowered form. 12 to 18 in	.75 1.50	0.00
Shrubs. See also Deciduous		
Ashberry (B. aquifolia). Dwf. Sh. Spg. Yellow. 1 to 1½ ft.	.35	3.00
Ashberry (B. aquifolia). Dwf. Sh. Spg. Yellow 1 to 1½ ft. Japanese (B. japonica). Med. Sh. Spg. Showy foliage Holly-leaved (B. ilicifolia). Dwf. Sh. E. Sum. Choice.	.75	
1 to	.50	4.00
Box-leaved (B. buxifolia or dulcis). Dwf. Sh. Spg. ½ to 1 ft Narrow-leaved (B. stenophylla). Dwf. Sh. Spg. Graceful.	.50	
	.50	
1 to $1\frac{1}{2}$ tt.  Creeping (B. repens), Tr. S. Spg. Holly-like foliage  BERBERIS see Barberry	.50	
Tree (B. sempervirens). Med. Sh. Dense globular habit. 1 ft.	.50	4.50
Golden-leaved (B. s. aurea). 1 ft	.50	X.00
Handsworth's (B. s. handsworthi), Very hardy, 1 ft	.50	
Handsworth's (B. s. handsworthi). Very hardy. 1 ft Myrtle-leaved (B. s. myrtifolia). Small-leaved. 1 ft	.50	
Silver-leaved (B. s. arguta). 1 ft	.50	
Strong plants. \$6.00 per 100; \$50.00 per 1,000		
Dwarf (B. s. nana). The garden box edging		

#### THE CLIMBING HYDRANGEA.



Strong pot plants of this exceeding rare vine can be offered in the true variety. A confusion in the use of botanical names has led the public and the ordinary nurseryman to betieve the name of this plant to be Schizophragma hydrangeoides, actually however, the latter is tender, and not the hardy vine which is here offered and so highly prized wherever known. In the younger stage of growth the vine is slow in becoming established, but usually owing to the error in not placing it where it may gain proper opportunity to gain a congenial support. Planted at the base of an old furrowed barked oak or other tree in a good pocket of soil, the responsive growth will be far more rapid than ordinarily understood.

The showy, light pea-green, heart-shaped leaves are borne amply to form a perfect screen of foliage with branchlets hanging gracefully from the mass. The flowers are borne in profusion in July, and are particularly attractive in that few other climbing vines are in bloom at the period, while the individual flowers are small, they are borne in broad, flat heads, which are showy and effective at a distance.

We can recommend this for two reasons, one for its own beauty, the other, that you have an opportunity to raise a vine seldom seen yet highly appreciated for its rarity. Pot plants, well rooted. \$1.00 each.

	EACH.	TEN
BROOM (Cytisus and Genista).  Dyer's (G. tinctoria). Tr. Sh. E. Sum. Golden yellow  Scotch (C. scoparius). Dwf. Sh. Spg. For dry banks  BUXUS see Box. CALICO BUSH see LaurelMountain CALLUNA see Heather. CANDYTUFT (Iberis)  Coris-leaved (I. corifolia). Tr. Sh. Spg. Pure whit  Gibralter (I. gibraltarica). Tr. Sh. Spg. Rosgwhite  CASSANDRA (Chamaedaghne).	Ø 95	9.04
Scotch (C seagging) Dwf Sh Sng For dry banks	\$ .35 .35	3.00
BUXUS see Box. CALICO BUSH see LaurelMountain	.00	5.00
CALLUNA see Heather.		
CANDYTUFT (Iberis)		
Coris-leaved (I. corifolia). Tr. Sh. Spg. Pure whit	.25	\$2.00
CASSANDRA (Changedanhae). Tr. Sh. Spg. Rosg-white	.25	
CASSANDRA (Chamaedaphne)Leather-leaf (C. calyculata). Tr. Sh. Spg. Drooping white,	.50	
CEDAR (Juniperus and Chamaecyparis)	.00	
	.50	4.50
See also under Juniper.  See also under Juniper.  White (C. sphaeroidea). Med. Tr. Of our cold swamps. 2to 3 ft.  CHAMAEDAPHNE see Cassandra.  CHAMAEDAPARIS see Cedar, White and Cypress,		
White (C. sphaeroidea). Med. Tr. Of our cold swamps. 2 to 3 ft.	.50	
CHAMAEDAPHNE see Cassandra.		
Japanese		
COTONEASTER (Cotoneaster).  Box-leaved (C. buxifolia). Tr. Sh. Spg. White. Red berries, Small-leaved (C. microphylla). Tr. Sh. White. Red berries,	.50	4.00
Small-leaved (C. microphylla). Tr. Sh. White. Red berries,	.50	4.00
CYPRESS Japanese (Chamaecyparis including Retinospora)		
Obtuse-leaved (C. obtusa). Sm. Tr. Graceful. 2 to 3 ft.	.75	6.00
Dwarf (C. o. nana). Dwi. Sh. Dense habit. Beautiful. 1 it.	2.00	
Graceful (C. a. aracilis) Lo. Sh. Open habit 1 to 2 ft	$\frac{2.00}{1.00}$	
Small-leaved (C. microphylla). Tr. Sh. White. Red berries, CYPRESS Japanese (Chamaeypuris including Retinospora) Obtuse-leaved (C. obtusa). Sm. Tr. Graceful. 2 to 3 ft Dwarf (C. o. nana). Dwf. Sh. Dense habit. Beautiful. 1 ft. Dwarf Golden (C. o. aurea). Dwf. Sh. Rich gold. 1 ft. Graceful (C. o. gracilis). Lg. Sh. Open habit. 1 to 2 ft Silver (C. o. squarrosa). Sm. T. Silver grey foliage. 1 to 2 ft Very choice and easily grown. 2 to 3 ft Thread-branched (C. o. filifera). Sm. T. Pendulous. 2 to 3 ft.	1.00	
Very choice and easily grown. 2 to 3 ft	1.50	
Thread-branched (C. o. filifera). Sm. T. Pendulous.		
2 to 3 ft	1.00	
Golden (C. o. f. aurea). Dwf. Sh. Gold tinged. 1 ft Pea-fruited (C. pisifera). Sm. T. Soft. Green foliage.	2.00	
1 to 2 ft	1.00	
1 to 2 ft.  Plumosa (C. p. plumosa). Sm. T. Plume-like foliage. 1 to 2 ft. Golden (C. p. p. aurea). Sm. T. Rich gold. 1 to 2 ft. Silver (C. p. p. argenta). Lg. Sh. Rich silver. 1 to 2 ft DAPHNE see Garland Flower. ERICA see Heath EUONYMUS see Spindle Tree. FETTER-BUSH see Andromeda.	.50	4.50
Golden (C. p. p. aurea). Sm. T. Rich gold. 1 to 2 ft	.75	2,00
Silver (C. p. p. argentea). Lg. Sh. Rich silver. 1 to 2 ft	1.00	
DAPHNE see Garland Flower. ERICA see Heath		
EUONYMUS see Spingle Tree.		
FID (Abias)		
FIR (Abies)  Balsam (A. balsamea). Lg. T. Very rapid growth. 2 to 3 ft.	.50	
Valuable quick screen tree or for cold soils. 3 to 5 ft	1.00	
Cephalonian (A. cephalonica). Lg. T. 1 to 2 ft	2.00	
Cilicican (A. cilicica). Lg. T. 1 to 2 ft	2.00	
Colorado Silver (A. concolor). Lg. T. Glaucus green.	0.00	
2 to 3 ft	$\frac{2.00}{5.00}$	
European Silver (A. picea or pectinata). La. T. 2 to 3 ft.	1.00	
Frazer's (A. Frazeri). Med. T. Rich color. Rapid. 1 to 2 ft.	.50	4,50
Vigorous as the Balsam Fir. 2 to 3 ft	1.00	
2 to 3 ft.  A most satisfactory lawn tree. 2 to 4 ft.  European Silver (A. picea or pectinata), Lg. T. 2 to 3 ft.  Frazer's (A. Frazeri), Med. T. Rich color. Rapid. 1 to 2 ft.  Vigorous as the Balsam Fir. 2 to 3 ft.  Japanese (A. siberica or pichta). Med. T. Rare. 2 to 2 ft.  Nordman's (A. nordmaniana), Lg. T. Deep green. 4 to 2 ft.  Veitch's (A. veitch). Med. T. Rapid. Choice. 2 to 3 ft.	2.00	
Nordman's (A. noramanniana). Lg. T. Deep green. \(\frac{1}{2}\) to 2\(\frac{1}{2}\) it.	$\frac{2.00}{2.00}$	
FIRE THORN (Purgeantha)	2.00	
FIRE THORN (Pyracantha)  Common (P. coccinea). Lg. Sh. Showy orange berries. 1 ft  Leland's (P. c. lelandi). Brightest colored berries. 1 ft	.50	4.00
Leland's (P. c. lelandi). Brightest colored berries. 1 ft	.75	
FURZE (Ulex)		
FURZE (Ulex).  Gorze (U. europea). Tr Sh. Spg. Yellow. For sterile banks GARLAND-FLO WER(Daphne cneorum). Tr. Sh. All Sum	.50	4.00
Perhaps the finest fragrant flowered evergreen. Pink	.50	4.00
GERMANDER (Teucrium)	•00	1.00
GERMANDER (Teucrium)		
cover plant for sun or half shade	.25	2.00
HELIANTHEMUM see Sun Rose		
Poll (F. totaglis) To Sh Sum Crowfelium Did A	50	4.00
Corsican (E. stricta). Tr. Sh., Sum., Grey Ionage. Pink flowers	.50 .50	4.00
Spring (E. carnea). Tr. Sh., Spg., Light red flowers.	.50	4.00
White (E. c. alba). Tr. Sh., Spg., Pure white flowers	.50	2.00
HELIANTHEMUM see Sun Rose  HEATH (Erica).  Bell (E. tetralix). Tr. Sh., Sum., Grey foliage. Pink flowers  Corsican (E. stricta). Tr. Sh., Sum., Pink  Spring (E. carnea). Tr. Sh., Spg., Light red flowers  White (E. c. alba). Tr. Sh., Spg., Pure white flowers  Cornish (E. vagans). Tr. Sh., Spg., Purplish red  Hardy and very choice for well drained situations.	.50	4.00
Hardy and very choice for well drained situations		

## SPECIMEN EVERGREEN TREES.

Fine, well-developed specimen evergreens can always be selected at the Reading Nurseries, all grown with ample space, frequently transplanted and carefully trained to insure their greatest perfection. Special grades can always be supplied. The following list only comprises a few of those in stock.

Each.	Each.
ARBOR VITAE, Common—	SPRUCE, Norway—
4 to 5 ft \$1.50	5 to 6 ft \$1.50
5 to 6 ft 2.50	7 to 8 ft 2.50
CEDAR, Red—	8 to 9 ft 4.00
5 to 6 ft \$2.00	10 to 12 ft 8.00
6 to 7 ft 3.00	SPRUCE, Finedon Hall—
CYPRESS, Japanese Golden-	5 to 6 ft \$3.50
7 to 8 ft \$5.00	6 to 7 ft 5.00
8 to 8 ft 10.00	Golden hued foliage.
CYPRESS, Japanese Plumy—	SPRUCE, Elata—
8 to 9 ft\$10.00	Rare and Choice.
CYPRESS, Golden—Pea-	5 to 6 ft \$5:00
fruited—	6 to 7 ft 7.50
5 to 6 ft \$5.00	7 to 8 ft 10.00
FIR, Frazers—	SPRUCE, Colorado Blue—
3 to 4 ft \$2.00	3 to 4 ft \$5.00
FIR, Veitch's—	4 to 5 ft 7.50
10 to 12 ft\$20.00	5 to 6 ft 10.00
FIR, Colorado Silver—	6 to 7 ft 15.00
4 to 5 ft \$7.50	7 to 8 ft 20.00
5 to 6 ft 10.00	8 to 9 ft
6 to 7 ft 12.50	All selected blue color.
HEMLOCK, Common—	SPRUCE, Oriental—
5 to 6 ft \$2.50	7 to 8 ft \$10.00
6 to 7 ft 3.00	SPRUCE, White—
HEMLOCK, Carolina—	6 to 7 ft \$5.00
7 to 8 ft \$7.50	7 to 8 ft 7.50
8 to 9 ft 10.00	SPRUCE, Golden white-
SPRUCE, Douglass—	Very choice.
5 to 6 ft \$3.00	5 to 6 ft \$5.00
6 to 7 ft 5.00	6 to 7 ft 7.50
7 to 8 ft 7.50	7 to 8 ft 10.00

Special rates on large quantities.

	EACH	TEN
HEATHER (Calluna).  Scotch (C. rudgaris). Tr. Sh. Rich green purple flowers  Dwarf (C. r. pugmaea). Moss-like growth.  White (C. r. alba). Pure white-flowered form.		
Scotch (C. vulgaris). Tr. Sh. Rich green purple flowers	\$ .50	4.00
DWari (C. v. pygmaea). Moss-like growth	.50 .50	
HEMI.OCK (Tougg). Pure white-howered form	.50	
HEMLOCK (Tsuga). Common (T. canadensis). Lg. Tr. Finest native tree, 2 to 3 ft. Choice for all screen or ornamental purposes, 3 to 4 ft	1.00	9.00
Choice for all screen or ornamental purposes, 3 to 4 ft	1.50	(
Carolina (T. carolinana). Med. Tr. Graceful 1 to 2 ft	1.00	
Choice and distinct in color and habit, 2 to 3 ft	2.00	
HOLLY (Ilex)	1 00	
American (I. opaca). Med. Tr. Crimson berries. Fine, 1 to 2 ft. Inkberry (I. glabra). Dwf. Sh. Black berries, 1 to 1½ ft	1.00 .75	6.00
Jananese (I crenata) Med Sh Narrow-leaved 1 to 11 ft.	1.50	0.00
IBERIS see Candytuft. INKBERRY see under Holly	1.00	
JUNIPER (Juniperus).  Common or Red Cedar (J. virginiana). Med. Tr. 2 to 3 ft. Rapidly becoming recognized of ornamental value. 3 to 4 ft		
Common or Red Cedar (J. virginiana). Med. Tr. 2 to 3 ft.	.50	4.00
Rapidly becoming recognized of ornamental value. 3 to 4 ft.	1.00	
Chinage (L. chinanaia) In Showy, grey ionage 2 to 3 it	1.50	
Rapidly becoming recognized of ornamental value. 3 to 4 ft. Silvery (J. v. glauca). Sm. Tr. Showy, grey foliage 2 to 3 ft Chinese (J. chinensis). Lg. Sh. Greyish foliage	1.00 2.00	
Prostrate (J. communis). Sp. Sh. Native in old fields	.50	4.00
Golden (J. c. aurea). Sp. Sh. Rich golden yellow	.75	6.00
Irish (J. c. hibernica). Med. Sh. Columnar. habit	.75	6.00
Swedish (J. c. suecica). Med. Sh. Dense, pyramidal growth.	.75	6.00
Waukegan (J. v. reptans). Sp. Sh. Rich green, soft foliage	1.00	
JUNIPERUS see Juniper. KALMIA see Laurel		
LAUREL ( $Kalmia$ ).  Mountain ( $K. latifolia$ ). Med. Sh. E. Sum. Rosy pink. 1 to $1\frac{1}{2}$ ft.	1.50	
See page 27 for special notes and prices for collected plants	1.00	
Lamb-kill (K. angustifolio). Dwf. Sh. Deep pink, 1 ft	.50	4.00
LAVENDER (Lavendula)		
Common (L. vera). Dwf. Sh. Sum. Fragrant foliage and flowers LAVENDER COTTON (Santolina incana). Tr. Sh. Silver	.25	2.00
LAVENDER COTTON (Santolina incana). Tr. Sh. Silver	0=	·): 00
foliage	.25	2.00
LEUCOTHOE (Leucothoe).  Catesby's (L. catesby). Med. Sh. E. Sum. Graceful habit. Choice for shady locations. Beautiful at all times.  LILY OF THE VALLEY see Andromeda. MAHONIA	.75	6.00
Choice for shady locations. Beautiful at all times		0.00
LILY OF THE VALLEY see Andromeda. MAHONIA		
see Barberry.  PACHYSANDRA see Spurge, Japanese.  PERIWINKLE (Vinca). Often called Myttle.  Blue (V. minor). Tr. Sh. Blue. Forms a turf. \$10.00 per 100  White (V. m. alba). Tr. Sh. White. \$10.00 per 100  PICEA see Spruce. PIERIS see Andromeda  PINE (Pinns)		
PACHYSANDRA see Spurge, Japanese		
Rlue (V minor) Tr Sh Rlue Forms a turf \$10.00 per 100	.25	2.00
White (V. m. alba), Tr. Sh. White, \$10.00 per 100	.25	2.00
PICEA see Spruce. PIERIS see Andromeda		
1 11 11 (1 0000).		
Austrian (P. laricio austriaca). Lg. T. 1 to 2 ft	.50	4.00
Photon (P. grander) Tr. T. Pontiful habit. 1 to 2 ft.	1.00 1.00	
Mucho (P montana muahus) Med Sh Dense behit 1 ft	.50	
Long foliage, dense, tolice for sea-shore exposure. 2 to 3 ft.  Bhotan (P. excelsa). Ig. T. Beautiful habit. 1 to 2 ft.  Mugho (P. montana mughus). Med. Sh. Dense habit. 1 ft.  Choice for lawn or sea shore. 1½ to 2 ft	1.00	
Pitch (P. rigida). Lg. T. For windswept sterile spots. 2 to 3 ft Red or Norway (P. resinosa). Lg. T. Soft foliage. 1 to 2 ft Choice native. A fine lawn tree. 2 to 3 ft.  Scotch (P. sylvestris). Med. T. Grey-green foliage. 1 to 2 ft.	.75	6.00
Red or Norway (P. resinosa). Lg. T. Soft foliage. 1 to 2 ft	.50	
Choice native. A fine lawn tree. 2 to 3 ft	1.00	
For poor soils and exposed situations. 2 to 3 ft	.50	
For poor sons and exposed situations. 2 to 5 it	.75 1.00	
Swiss Stone (P. cembra). Sm. T. Dense symmetrical. 1 to 2 ft. White (P. strobus). Lg. T. Our best native. 1 to 2 ft	.50	4.00
Finest for general planting.	****	2
PINE Umbrella (Sciadopitus)		
Japanese (S. verticillata). Sm. T. 1 to 1½ ft	2.50	
Japanese (S. verticillata). Sm. T. 1 to 1½ ft		
RETINOSPORA see Cypress		
RECODER DRON see special lists and quotations on pages 33 & 34		
ROSEMARY (Andromeda). American (A. polyfolia). Tr. Sh. E. Sum. Rare		
American (A. polyfolia). Tr. Sh. E. Sum. Rare	.50	4.50
SANTOLINA see Lavender Cotton.		
SPEEDWELL (Veronica). Creeping (V. rupestris). Tr. Sh. Spg. Blue. Forms a dense		
carpet	.25	2.00

## NAMED HYBRID RHODODENDRONS.



Large importations are annually made of these plants, and the rule is rigidly followed to handle no varieties other

than those of unquestioned hardihood.

No Belgian, Dutch or French grown Rhododendrons are used, because a half century experience in handling nursery material coupled with twenty years' past experience in active landscape work, proves they are not as well adapted to New England conditions as English grown stock. Our stock is grown in the most reliable Rhododendron nursery in England, and so far as the peculiar habit of each variety will allow, is grown either on its own roots, or else grafted below the ground surface on the hardiest stocks obtainable.

The list can be extended only to include varieties that are not as hardy. The plants are of finest quality, and can be

fully recommended.

Album Elegans, pure white.\*
Album Grandiflorum, blush,
changing to white.\*

Atrosanguineum, deep blood red.†

Caractacus, rich purplish crimson.

Charles Bagley, cherry red.† Charles Dickens, dark scarlet.

Delicatissimum, clear blush, tinged pink.\*

Everestianum, rosy-lilac, spotted and fringed.

Giganteum, light rose.\*

Hannibal, rose, blush, and white. Late blooming.

H. H. Hunnewell, rich dark crimson. Scarce.†

James Bateman, clear rosy scarlet.;

Lady Armstrong, pale rose, beautifully spotted.;

Lee's Purple, dark purple.

Old Port, rich plum.

Purpureum Grandiflorum, rich purple.

Roseum Elegans, fine clear rose.\*

Varieties marked with a star of tall growth. Those marked with † of medium growth. Others of dwarf habit.

Prices for low-branched bushy plants with abundant bloom buds.

12 to 15 in. \$1.50 each \$12.00 per ten 16 to 22 in. 2.00 each 16.00 per ten 2 to 2 1-2 ft. \$3.00 to \$5.00 each on selection.

Large specimen plants are imported for special needs. Full particulars on application.

NOTE.—Azaleas, Andromedas, and other plants adapted for planting with Rhododendrons and Mountain Laurels, can be supplied in any quantity and in all varieties at special rates.

SPINDLE TREE (Euonymus).	EACH.	TEN.
Dwarf (E name) Dwf Sh Narrow copper green foliage	\$ .35	\$3.00
Dwarf (E. nanus). Dwf. Sh. Narrow, copper green foliage Creeping (E. radicans). Tr. Sh. Showy foliage	.35	3.00
Fruiting form. Bright vellow and orange berries	.50	4.50
Broad-leaved (E. r. carrieri). Broad foliage	.50	4.50
Fruiting form. Bright yellow and orange berries	.5)	4.50
Silver variegated-leaved (E. r. argentea-marginiatus).	.35	3.00
Siebold's (E. sieboldianus). Lg. Sh. Sum. Broad, evergreen		
10Hage	.75	6.00
SPRUCE (Picea).	0.00	
Alcock's (P. ajanensis or alcockiana). Lg. T. Silvery. 2 ft. Black (P. nigra). Med. T. Distinct native species. 1 to 2 ft.	2.00	
Doumetti (P. n. doumetti). Dwf. Sh. Rounded habit. 1 to	1.00	
12 ft	1.00	
Dwarf (P. n. pumilla). Tr. Sh. Dense cushion-like. 6 in	1.00	
Dwarf (P. n. pumilla). Tr. Sh. Dense cushion-like. 6 in Colorado (P. pungens). Lg. T. Rpid. 2 to 3 ft	.75	6.00
Well adapted for screen planting. 3 to 4 ft :	1.00	
Blue (P. p. glauca). Med. T. Elegant silver-grey. 1\frac{1}{2} to 2 ft.	2.50	
Koster's Blue (P. p. kosteriana glauca). Selected. 1½ to 2 ft.	2.50	
The brightest silver foliaged form. 2 to $2\frac{1}{2}$ ft	3.50	
Well adapted for screen planting. 3 to 4 ft	75	0.00
2 ft.  Norway (P. excelsa) Lg. T. Rapid. 2 to 3 ft  The best for inland screen purposes. 3 to 4 ft  Compact (P. e. compacta). Sm. T. Dense, pyramidal. 1 to	.75 .50	6.00 4.00
The heet for inland screen nurness 3 to 4 ft	.75	6.00
Compact (P. e. compacta) Sm. T. Dense, pyramidal, 1 to	.10	0.00
2 ft	.75	
Ellwanger's (P. e. ellwangeriana). Dwf. S. Irregular. 1 ft	.75	
Finedon Hall (P. e. finedonensis). Med. T. Golden. 2 to 3 ft	1.00	
Gregory's (P. e. gregoryana). Tr. Sh. Cushion like. ½ to 1 ft	1.50	
2 ft. Ellwanger's (P. e. ellwangeriana). Dwf. S. Irregular. 1 ft Finedon Hall (P. e. finedonensis). Med. T. Golden. 2 to 3 ft Gregory's (P. e. gregoryana). Tr. Sh. Cushion like. ½ to 1 ft Weeping (P. e. pendula). Med. T. Curiously contorted. 2		
	1.50	
Pyramidal $(P. e. pyramidalis)$ . Med. T. Columnar. $\frac{1}{2}$ to 2 ft Oriental $(P. orientalis)$ . Med. T. Fige. Compact. 1 to 2 ft.	$\frac{2.00}{1.00}$	
One of the best medium lawn trees 2 to 3 ft	2.00	
Tiger Tail (P. nolita). Lg. T. Rare and choice. 2 to 3 ft	2.00	
One of the best medium lawn trees. 2 to 3 ft	.50	4.00
Ornamental, adapted to most exposed situations. 2 to 3 it	.75	6.00
Blue (P. a. coerulea). Med. T. Distinctly blue. 1 to 2 ft	.75	
Very effective for contrast with last. 2 to 3 ft	1.50	
Maxwell's Golden (P. a. aurea). Sm. T. Tipped foliage.	1 00	
1 to 2 ft  SPURGE, Japanese (Pachysandra) Green-leaved (P. terminalis) Tr. Sh. Broad, green foliage. Variegated-leaved (P. t. rariegata). Distinct Variegated according to the Second Statement of the Statement o	1.00	
Green-leaved (P terminalis) Tr Sh Broad green foliage	.25	2.00
Variegated-leaved (P. t. variegata) Distinct	.25	2.00
Fine ground cover plants. For shady situations, \$15.00 per 100		2.00
SUN or Rock Rose (Helianthemum)		
Hardy (H. chamaecistus). Tr. Sh. All Sum. mixed \$10.00 per 100.	.25	2.00
Narrow-leaved (H. c. angustifolius). Yellow	.25	2.00
Hyssop-leaved (H. c. hissopifolium). Pink	.25	2.00
Common (H. c. vulgare) Yellow. Double-yellow (H. c. v. fl. pl.). Copper-flowered (H. crocrum). Copper-red flowers	$.25 \\ .25$	$\frac{2.00}{2.00}$
Copper-flowered (H. c. v. fl. pt.)	.25	2.00
All showy evergreen trailers for sunny banks with a wealth of showy	. 20	2.00
flowers in June and at intervals later until frost.		
TAXUS see Yew. THUYA see Arbor Vitae. TEU-		
CRIUM see Germander.		
THYME (Thymus).		
Creeping (T. serpyllum). Tr. Sh. Aromatic foilage	.25	2,00
Creeping (T. serpullum). Tr. Sh. Aromatic foilage	.25 .25	2.00
Shiver-leaved (1. s. argenteus). Distinct silvery effect	.25	2.00
Scarlet-flowered (T. s. coccineus). Deep purple-red	.20	2.00
Useful ground cover plants in open sun.  TSUGA see Hemlock. VERONICA see Speedwell.		
YEW (Taxus).		
Canadian or Ground Hemlock (T. canadensis). Tr.		
Sh. ½ to 1 ft. Will thrive in dense shade	.75	6.00
Japanese (T. cuspidata). Lg. Sh. For open sun. Hardy.	0.00	
Rare	2.00	
YUCCA see Adam's Needle.		

## RHODODENDRON MAXIMUM.

(The Great Bay.)



Rhododendron Maximum.

RHODODENDRON MAXIMUM is being very largely used for landscape work. Its foliage is the longest and showiest of any broad-leaved evergreen. Its hardihood is unquestioned (it is a rare native as far north as Nova Scotia), and its late blooming habit extends the blooming season for a month longer than when usual varieties only planted. Its vigorous growth. sturdy habit, and adaptability to a variety of soils, would, with its foliage alone, make it a valuable

ornamental plant; but its crowning glory of showy flowers borne in large clusters in magnificent profusion in late June and early July renders it noteworthy among hardy plants, while my special facilities for supplying the stock admit of its use where other and more expensive Rhododendrons could not be afforded. As an ornamental plant it is one of the best, but used also in connection with more costly hybrid sorts, which include earlier season of bloom and greater range in color, it is possible to obtain a showy and immediate effect that would otherwise be possible only after years of waiting for growth or at greater expense than can ordinarily be afforded.

I can supply fine, bushy, symmetrical plants of any size from small plants to those twelve feet high, and as much spread of top, all with perfect masses of fibrous roots and with abundance of soil for successful aftergrowth. The quotations given are for small quantities, but special low figures will be given for large pots or by the carload. By the statement, "bushy plants," is intended such densely-branched and fully-budded plants as would ordinarily be sold from nurseries as specimen plants.

Bushy plants, 18 to 24 in., with buds, \$1.25 each; \$10.00 per doz. Bushy plants, 2 to 3 ft., with buds, 2.00 each; 18.00 per doz. Bushy plants, 3 to 4 ft., with buds, 4.00 each; 28.00 per doz.

Larger sizes quoted on application.

Such plants as quoted above cannot be obtained from any nursery source to compare in value with the above.

## LARGE AND SMALL FRUITS.

The following list of fruits is a selection of those varieties which in the fifty years past experience of The Reading Nurseries, have proved best adapted to New England conditions.

· PPI TO	EACH.	TEN.
APPLES. Standard trees, 4 to 6 ft  " " 6 to 8 ft  Summer varieties: Early Harvest, Oldenburg, (Duchess)	\$0.35 .50	\$2.50 4.00
Red Astrachan, Summer Pippin, Sweet Bough, William's Favorite and Vellow Transparent		
Autumn varieties: Fall Pippin, Gravenstein, Maiden's Blush, Porter, Twenty Ounce and Weatthy. Winter varieties: Baldwin, Fameuse, Hubbardston, King, Northern Spy, R. I. Greening, and Roxbury Russet.		
Dwarf trees, on Paradise stock, as can be supplied	.50	4.00
Dartmouth, Hyslop, Red and Yellow Siberian, Transcendent and Whitney	.50	4.00
Standard trees, two and three years from bud	.75	6.00
Three to five years from bud Summer varieties: Bartlett, Clapp's Favorite and	1.00	10.00
Autumn varieties: Angouleme (Duchess) Reuma Rose		
Buffum, B. Hardy, Seckel, Sheldon, Urbaniste Winter varieties: Anjou, Dana's Hovey, Lawrence, Vicar, and Winter Nelis		
Dwarf trees, in leading varieties. Two-year from bud	.50	4.00
Two and three years from bud	.75	6.00
Three and five years from bud	1.00	10.00
Bradshaw, Coe's Golden Drop, Damson, Green Gage, Imperial Gage, Jefferson, Lombard, Pond's		
Seedling, Washington and Yellow Egg		
Japanese varieties: Satsuma, Botan and Burbank		
CHERRIES.		0.00
Standard trees, two and three years Three to five years	.75 1.00	6.00 10.00
Hearts and biggareaus: Black Heart, Eagle, Tartarian, Coe's Transparent, Governor Wood, Napoleon and	1.00	10.00
Coe's Transparent, Governor Wood, Napoleon and		
Rockport Dukes and Morellos: Early Richmond, Late Duke, May		
Duke and Morello		
One year. \$15.00 per 100	.35	3.50
Extra heavy trees	.50	4.00
Early and Late. Early York, George IV., Hale's		
Early and Late, Early York, George IV., Hale's Early, Mt. Rose, Old Mixon, Stump and Crosby.		
APRICOTS. On Peach stocks for light soils	.50	5.00
On Plum stock for heavy soils	.75	6.00
On Plum stock for heavy soils		
On Peach stock for light soils	.50	5.00
On Plum stock for heavy soils	.75	6.00
QUINCES.		
Apple or Orange, Champion, Meeche's Prolific and	~ .	<b>*</b> 0.5
Rea's Mammoth.	.50	5.00

GD A DEG	EACH.	TEN.
GRAPES.  Two year, heavy.  Black varieties: Clinton, Concord, Hartford, Merrimac, Moore's Early, Wilder, Worden, etc  Red varieties: Agawam, Brighton, Diana, Delaware, Dracut Amber, Lindley, etc  White varieties: Martha, Niagara, Pocklington, etc	\$ .35	\$3.00
CURRANTS.	TEN	HUND.
Common size	\$1.00	
Heavier fruiting-size plants	1.50	8.00
Black Naples, Cherry, Lee's (black) Red Dutch, Versailles, White Dutch, Victoria, White Grape and Fay's Prolific		
GOOSEBERRIES.		
Common size	1.50	12.00
Heavy fruiting-size	2.00	15.00
Downing, Houghton, Smith, Industry, etc		
Strong canes.	1.00	4.00
Dorchester, Erie, Kittatinney, Snyder, Wau-		
chusett, Agawam and Lucretia Dewberry		
Strong canes	1.00	4.00
Red: Cuthbert, Marlboro, Turner, Yellow: Caroline, Golden Queen, etc. Black: Gregg, Souhegan,		
etc		
ASPARAGUS.		
Conover's Colossal. \$8.00 per 1000		1.00
MIODAMD.	EACH.	TEN.



Linneus, Giant, Victoria, \$0.25 \$2.00 Chestnuts, Hickories, Beech Nuts, Butternuts, Walnuts and Mulberries, see quoted under Deciduous Trees.

Thermopsis Caroliniana. (See page 48).

## HEDGE PLANTS.

It is a pleasure to note the increased use of hedges for division and property lines in place of wooden or some of the cheaper forms of wire fence. The object of a barrier or demarking line can be fully attained by the selection of a hedge adapted to the special need, and the monotony of a fence is avoided, while the interest of flower, foliage, fruitage and branch effect is substituted in pleasant relief at the varied seasons. Special quotations given for large quantities.

References. \*Hedge plants adapted to shady situations. †Strong, impenetrable coarse growing barrier hedges, capable however of being kept within close bounds by proper pruning. || Ornamental fruit and flower effects especially adapted for use as division lines between neighboring lawns. Lg. Hedges over 10 feet high. Med. from 6 to 8 ft. Sm. 3 to 5 ft. Dwf. 1½ ft. as ordinarily grown.

#### DECIDUOUS.

TEN. HUND.

† ACACIA THREE THORNED. Lg. Impenetrable 1 ft * ARALIA, Five-leaved. Med. Showy foliage 1½ to 2 ft   BARBERRY.	\$.75 2.00	\$5.00 15.00
Common. Sm. Showy fruit. 1\frac{1}{2} to 2 ft	2.00	15.00
Purple-Leaved, Sm. Showy foliage effect. 12 to 18 in Thunberg's Japanese. Dwf. Crimson fruit. 12 to 18 in.	2.00	15.00
Thunberg's Japanese. Dwf. Crimson fruit. 12 to 18 in.	2.00 3.00	15.00
Best low hedge plant. 18 to 20 in	3.00	22.50 $20.00$
† BUCKTHORN, Common. Lg. Strong, spiny 1 to 2 ft	1.50	10.00
CORNEL, Red or Red Ozier. Med. Coral Bark. 2 to 3 ft    DEUTZIA.	2.00	15.00
Common, Med. White or Pink flowers. 2 to 3 ft	2.00	15.00
FORSYTHIA or Golden Bell, Med. Yellow flowers, 2 to 3 ft.	1.50 2.00	10.00 15.00
Graceful Habit Forms a large hedge. 3 to 4 ft	3.50	30.00
INDIGO SHRUBS. Sm. For sterile places. 2 to 3 ft	2.00	15.00
* HORNBEAM, European. Lg. 2 to 3 ft	3.00	20.00
HAWTHORN see Thorn		
HONEYSUCKLE. Bush or Tartarian. Med. $1\frac{1}{2}$ to 2 ft	2.00	15.00
Morrow's. Graceful habit. Showy fruits. 1½ to 2 ft	2.00	15.00
INDIAN CURRANT. Sm. Coral-berry. 1 and 1\frac{1}{2}	1.50	10.00
LILAC.		
Common. Med. Purple flowers. 1½ to 2 ft	2.00	15.00
Mock Orange or Syringa, Med. White Flowers. 2 to 3 ft. * PRIVET.	2.00	15.00
California, Lg. Glossy green foliage. 2 to 3 ft	1.50	10.00
Not as hardy as the following. 3 to 4 ft	2.00	15.00
* English. Lg. Glossy black berries. 11 to 2 ft	1.50	10.00
Siberian, Med. Hardy and best of all. 1½ to 2 ft	-2.00 $1.50$	15.00 17.50
ROSE, Russian. Sm. (R. rugosa). Choice. 1½ to 2 ft  Beautiful in foliage, flower and fruit.	1.50	17.50
SPIRAEA.		
Golden-leaved. Med. Forms a large hedge 2 to 3 ft	2.00	15.00
Van Houtte's. Sm. Graceful habit. White. 1½ to 2 ft * THORN.	1.00	15.00
English or Hawthorne, Lg. White flowers. $1\frac{1}{2}$ to 2 ft	2.00	15.00
† Cock's Spur. Lg. Showy Spring flowers. 2 to 3 ft	2.50	20.00
Washington, Med. Coral-red fruits 1½ to 2 ft	2.00	15.00
EVERGREEN.		
Grown with special care to obtain bushy, well developed tops and		
an abundance of fibrous roots.		
† ARBOR VITÆ. Lg. 1½ to 2 ft	\$2.00	\$15.00
Globe Dwf. For low division lines. 9 to 12 inches	3.00	20.00
$\parallel$ Siberian. Med. $1\frac{1}{2}$ to 2 ft* FIR.	3.00	20.00
Balsam, Lg. Rapid growth, 1½ to 2 ft	2.00	15.00
Balsam. Lg. Rapid growth. $1\frac{1}{2}$ to $2$ ft	3.00	25.00
HEMLOCK. Med. Finest ornamental hedge. ½ to 2 ft	4.00	35.00
† SPRUCE.	0.00	15.00
Norway. Rapid growth. 1 to 2 ft	$\frac{2.00}{3.00}$	15.00 25.00
White. Fine seashore evergreen. 1 to $1\frac{1}{2}$ ft	2.00	15.00

## THE BEST HARDY GRASSES.



The following are hardy, other more tender sorts, such as the Pampas Grass, Giant Reed or Arundo, and the Plume Grass or Eriantbus can be supplied, if desired.

For general ornamental value in the Flower Border, grasses add grace at periods of scarcity of bloom.

- ARRHENATHERUM, bulbosum vgta. 4 ft. A new and beautiful kind, forming a neat clump of showy variegated silver and green foliage shaded with pink. Not weedy, and does not loose its showy contrast of color with age. Choice. See half-tone.
- BAMBOO, Common (Bambusa metake). 4 ft. Hardy and effective, preferring a location on a pond bank where its deeper roots only may penetrate to the water.
- BAMBOO Veitch's (Bambusa veitchii). 2 ft. Beautiful foliage, forming a broad rounded clump.
- BLUE FESCUE Grass (Festuca glauca). 6 in. Dense tufted habit. Distinct silvery grey hue. Fine edging plant.
- EULALIA, Graceful (Eulalia gracillima univittata). 5 ft. Forms a very graceful vase-like clump with narrow dark green leaves and silvery midribs.
- EULALIA, Japanese (Eulalia japonica). 5 ft. Similar to above, but with much broader foliage.
- EULALIA Vgtd. Japanese (Eulalia japonica vgta). Handsomely variegated green and gold foliage.
- EULALIA, Zebra Grass (Eulalia japonica zebrina). Oddly banded gold and green variegation. Very effective.
- GARDENER'S GARTER, or Ribbon Grass (Phalaris arundinacea vgta). 2 ft. Old favorite with silver and green variegation.
- HAIR GRASS Vgtd. (Aira coerulea vgta). 1-2 ft. Upright tufted habit with narrow, showy variegated gold and green foliage.
- SPIKE Grass (Uniola latifolia). 3 ft. Beautiful, drooping, curiously flattened seed spikes in late summer.

## THE BEST HARDY PERENNIALS.

For twenty-five years the Reading Nurseries have been in the lead in the introduction of this most useful class of garden plants. Every hardy herb obtainable has been given full test as to its hardihood or adaptability to New England conditions. The Hardy Flower catalogues issued by us in past years have been accepted as the standards by every nurseryman of the country. Rather than to re-publish this catalogue we have decided to issue this abridged list, which will comprise only the cream of those kinds best adapted to general use in flower borders. The future issues of MANNING'S MONOGRAPHS, which will deal upon special horticultural subjects, will be accompanied with price lists of those special kinds of herbs that are best suited to the subject under discussion.

Price, unless otherwise noted, 25 cts. each, \$2.00 per 10, \$15.00 per 100. We establish this standard price, for strong plants, grown with special reference to producing immediate results. There is far greater economy in the use of these strong plants than by using the much lighter grades of plants offered at less price elsewhere.

References: Heights are indicated in feet or fractions of a foot. Season of bloom by month numbers.

ACHILLEA THE PEARL. 13 ft. 6-9. Double white, choice for cutting.

AJUGA see Bugle. ALTHEA see Hollyhock.

ALUM-ROOT (Heuchera sanguinea). 1 ft. 6-8. Dense spikes crimson-scarlet flowers on wiry stems. Very choice.

ALYSSUM see Gold Dust

ANEMONE Japonica (Japanese Wild-flower). 2 ft. 8-10. Large showy pink flowers on long stems. Fine late bloomer. The best varieties include: HONORINE JOBERT. Purest single white. WHIRLWIND. Double pure white. QUEEN CHARLOTTE. Double rosy pink, ANEMONE Virginiana (Pennsylvanica). 1½ ft. 6-9. Single purest white flowers. Con-

stant bloomer, even in shade.

ANTHERICUM see Lily. St. Bruno's.
ANTHEMIS see Chamomile, Golden. AQUILEGIA see Columbine.

ARABIS see Rock Cress, Alpine. ARUNCUS see Spiraea.

Hybrid.

Wonderful improvements have been effected in hybridising various species of Asters. The new forms are extreamly prolific in bloom and cover a wide range of colors. We are familiar with more than 100 varieties, but offer the following as the cream of them all, embracing the full range of color.

as the cream of them all, embracing the full range of color.

CALLIOPE. 3 ft. 8.9. Pale blue. Profuse bloomer.

ESME. 1½ ft. 8.10. Purest white, wonderfully prolific.

LADY ARDILAUNE. 4 ft. 7.8. The best tall, pure white early sort.

LONGIFLORA FORMOSISSIMA. 3 ft. 8.9. Deepest lilac purple.

THOMAS S. WARE. 3½ ft. 7.9. Myriads of large, rosy-lulac flowers.

WM. BOWMAN. 4 ft. 7.9. Rich rosy-purple. Very showy.

ASTILBE Chinese (A. chinensis. 3 ft. 6.7. Tall spikes flesh-colored flowers.

ASTILBE Japanese (A. japonica). 1½ ft. 6-7. Pure white in large spikes.

BARREN-WORT Alpine (Epemedium rubrum or alpinum). 1 ft. 4-5. Beautiful foliage and showy spikes of pink and white flowers.

and showy spikes of pink and white flowers.

BLANKET-FLOWER (Gaillardia grandiflora). 2 ft. 6-10. A constant succession of showy orange-red and yellow flowers.

BOLTONIA see Chamomile False.

BOWMAN'S ROOT (Gillenia trifoliata). 3 ft. 7-8. Showy white flowers. BUGLE Geneva (Ajuga genevenis). ½ ft. 6-7. Dense heads of rich blue.
BUTTERCUP Double (Ranunculus acris fl. pl.) 2 ft. 6-7. Golden yellow.
CANDYTUFT Coris-leaved (Iberis corraefolia). ½ ft. 5-6. Pure white.

CAMPANULA see Hare-bell.

CENTAURY Mountain (Centaurea montana). 1 ft. 6-9. Showy. Blue, purple or white flowers.

CERASTIUM tomentosum. ½ ft. 5-6. Silvery foliage. White.

CENTRANTHUS see Valerian Red.

CHALK PLANT (Gypsophylla paniculata). 2 ft. 7-8. Myriads of minute pure white flowers in wiry stemmed open clusters.

CHAMOMILE False (Boltonia latisquama). 5 ft. 7-10. Immense densely flowered heads of clear lavender and gold. Choice.

Price, unless otherwise noted, 25 cents each; \$2.00 per 10; \$15.00 per 100

## IRIS AND PAEONIES.

#### IRIS. NEW ALPINE HYBRID.

Many varieties, of which the following are the best:

JOSEPHINE. Pure white. METEOR. Reddish purple. STEWART. Clear yellow. HAYDN. Porcelain blue. MILTON. Yellow marked maroon.

#### THE BEST DWARF IRIS.

CHRISTATA. Lavender and orange. PUMILLA. Royal purple.

VERNA. Deepest blue. CHAMAEIRIS. Pure yellow.

#### THE BEST GERMAN IRIS.

ATROVIOLACEA. Deep purple. FLORENTINA. Pure white. MADAM CHEREAU. White feathered, with violet. Very choice. AUREA. Clear golden yellow. L'AVENIR. Deep lavender. PALLIDA SPECIOSA. Light lavender. AUGUSTINA. Yellow richly veined

#### JAPANESE IRIS.

A good collection, of which the following are the cream and most distinct, covering full range of color in the class:

ARTHUR SILBARD. Double. White shaded violet. Large. CALYPSO. Double. Lilac veined with blue.

DAGMAR GEORGESON. Rich royal purple.

EMPEROR OF JAPAN. Double. Velvety maroon, yellow throat.

GOLD BOUND. Double. White banded with yellow.

PAINTED LADY. White splashed and veined with claret. Price, 25 cts. each; \$2.00 per 10; \$15.00 per 100.

#### THE BEST TWELVE PAEONIES.

Of the bewildering number of named Paeonies, the following will be found to cover the range of color and form; hundreds of other named sorts can be supplied, if desired.

DUCHESS OF TECK. Double. Creamy white flushed with

pink.

DUKE OF WELLINGTON. Double. Creamy white. Very fine. \$1.00 each.

EMILY. Single. Soft rose pink. \$1.00 each.

FESTIVA MAXIMA. Double. Purest white flashed, with carmine in centre

LADY LEONORA BRAMWELL. Double silvery rose. Fine form. Mid-season.

LOUIS VAN HOUTTE. Double. Brilliant satiny crimson.

MADAM LEBON. Double. Purplish crimson.

MARIE LEMOINE. Double. Creamy white. Compact flower. Dwarf. Late. \$1.00 each.

OLD CRIMSON. The old very double deepest crimson; early and always the best of its season.

QUEEN EMMA. Double rosy pink. Very floriferous. RUBRA SUPERBA. Double dark crimson. Late.

STANLEY. Single. Deepest maroon-crimson. Yellow stamens, \$1.00 each.

Price of above Paeonies, 75 cts. each; \$7.00 per 10, unless otherwise noted.

CHAMOMILE Golden (Anthemis tinctoria), 1½ ft. 6-8. Rich golden yellow flowers in profusion. CHELONE Lyons (Chelone lyonii).  $2\frac{1}{2}$  ft. 3-10. Late, showy red-purple flowers.

CHRYSANTHEMUM. HARDY.

Of the confusing variety of named kinds, the following can be recommended as possessing the greatest hardihood with freedom of bloom, and all the range of color possessed in a longer list.

BLUSHING BRIDE. Delicate soft pink. Very double. GOLDEN FLEECE. Clear golden yellow. Double. E

GOLDEN FLEECE. Clear golden yellow, inner pertals red. Double.
SOUVENIR D'UNE AMI. Snow white. Extra fine. Double.
SOUVENIR D'UNE AMI. Snow white. Extra fine. Double.
TIBER. Crimson-brown, tipped yellow. Small double late flowers.
CLEMATIS David's (C. davidiana). 4 ft. 7-8. Fragrant tubular blue flowers.
COLUMBINE Garden (Aquilegia vulgaris). 3 ft. 6-8. Single and double flowers in all shades, from purest white to deep red and blue.

COLUMBINE Golden spurred (A. chrysantha). 2 ft. 6-8. Graceful golden-yellow,

fragrant flowers. Beautiful.

COLUMBINE Rocky Mountain (A. coerulea). 1 ft. 5-7. Largest rich blue and pure white flowers. Many other kinds in stock. CONE-FLOWER Showy (Rudbeckia speciosa). 2 ft. 7-9. Golden-yellow purple cen-

tered, Ox-eye Daisy-like flowers.

CONVALLARIA see Lily of the Valley. COREOPSIS lance-leaved (Coreopsis lanceolata). 1/4 ft. 6-9. Golden yellow.

COREOPSIS tripteris. 6 ft. 6-9. Immense heads showy yellow flowers. With distinct black center. Fine late kind.

CORONILLA see Crown Veitch.

CRANESBILL (Geranium sanguineum). 1 ft. 6-9. Showy foliage and bright red flowers in succession all summer.

CROWN VEITCH (Coronilla varia). 1½ ft. 6-10. Showy rounded heads, pink and white clover-like flowers.

DIANTHUS see Pink or Sweet William.

DICENTRA EXIMIA. 11/4 ft. 5-9. A constant succession of dense clustered spikes of dark pink flowers on long stems. Showy. DICTAMNUS see Gas Plant. DIGITALIS see Fox-glove.

DODECATHEON see Shooting Star. DORONICUM see Leopard's Bane.

El'IMEDIUM see Barren-wort. ERIGERON see Flea Bane.

ERYNGIUM see See Holly. EUPATORIUM see Thoroughwort.

FLEA-BANE Showy (Erigeron speciosus). 2½ ft. 6-8. Rich lavender-blue flowers in ample profusion. FORGET-ME-NOT, Everblooming (Myosotis palustris).  $\frac{1}{2}$  ft. 6-9. Pale blue flowers in

succession from Spring to Fall.

FOXGLOVE Common (Digitalis purpurea). 3 ft. 7-8. Tall showy spikes of flowers varying from purest white to rich purple.

FOXGLOVE Golden (Digitalis ferruginea). FUNKIA see Lily Plantain.

GAILLARDIA see Blanket Flower.

GAS PLANT common (Dictamnus fraxinella). 2 ft. 7-8. Tall showy spikes of highly perfumed purple flowers.

White Flowered (Dictamnus albus). Pure white form. Choice.

GAY FEATHER, Kansas (Liatris pycnostachya). 4 ft. 7-8. Long cylindrical spikes of rich purple. Odd and striking

GERANIUM see Cranesbill. GILLENIA see Bowman's Root.

GLOBE FLOWER European (Trollius europæus). ½ ft. 4-6 and 7-9. Showy, gobular yellow flowers. Fine in both Spring and Autumn.

GOLD DUST (Alyssum saxatile compactum). ½ ft. 5-6. Clouds of yellow flowers

against showy grey foliage. GYPSOPHILLA see Chalk Plant.

HARE-BELL Carpathian (Campanula carpathica). ½ ft. 6-10. A constant succession

of showy rich blue, wiry stemmed flowers.
WHITE (C. carpathica v. alba). With flowers of purest white.
PEACHED-LEAVED (C. persicæfolia). 2 ft. 6-8. Tall s 2 ft. 6-8. Tall showy spikes of deep purple, blue or white flowers.

GIANT (Platycodon grandiflora). 3 ft. 7-9. Opon clusters of large flowers in either blue, white or stripped; single or double.

HELENIUM see Sneezewort. HELIANTBUS see Sun-flower.

HELIANTHEMUM see Sun Rose in Evergreens.

HEMEROCALLIS see Lily Day. HEUCHERA see Alum-root.

HIBISCUS see Rose-mallow.

HOLLYHOCK (Althea rosea). 5 ft. 7-8. In all distinct shades of double and single.

## THE BEST PHLOX.



We can supply an endless list of other varieties, but find these the best and to fully cover the range of color and habit of the class.

B. COMPTE. Dwarf. Rich glowing crimson. Mid-season.

COQUILECOT. 3 ft. Pure scarlet, deep carmine eye. Midseason.

ECLAIREAU. Purplish crimson with white eye. 2 ft. Early and late.

FLORENCE. 4 ft. Purest white in dense lasting trusses. Late.

LE POLE NORD. 6 ft. White with broad crimson eye.

Latest.

LE SOLEIL. 2-2 ft. Clear pink with broad eye. Early and late. (See centre of illustration.)

LOTHAIR. 5 ft. Deep carmine crimson. Large full truss. Showy. (See right hand of illustration.)

MISS LINGARD. 3 ft. White, faint lavender eye. Fragrant. (See left hand of illustration.)

The earliest and most constant blooming variety.

PROF. SCHLEIMAN. 3 ft. Salmon rose with carmine eye. Mid-season.

SAISON LIERVAL. 2-3 ft. Immense heads of large pure white, dark crimson eyed flowers. Mid-season.

RICHARD WALLACE. 2 ft. White with violet eye. Small trusses but in abundance. Old, but best of its kind.

Price, 25 cts. each; \$2.00 per 10; \$15.00 per 100.

#### PHLOX. THE BEST CREEPING.

A valuable class, commonly known as Moss Pinks, forming carpets of evergreen foliage, completely hidden by the wealth of spring flowers.

AMOENA. Showy clusters, dense, clear pink.

COMPACTA. Clear pink flowers.

 $\operatorname{DIVARICATA}.$  Long wiry stemmed clusters of clear blue flowers.

NELSONII. Pure white, very chaste.

STELLARIA. Pale lavender. Very effective. Starry flowers. SUBULATA. Purplish rose with dark eye.

Many other sorts in stock.

Price, 15 cents each; \$1.25 per 10; \$8.00 per 100.

HOLLYHOCK MALLOW (Malva alcea). 4 ft. 6-10. Showy clear pink mallow-like flowers all summer. One of the best.

IBERIS see Candytuft.

JACOB'S LADDER. Creeping (Polemonium reptans). ½ ft. 5-6. Blue.
Himalayan (P. himalayicum). 2 ft. 5-7. Fragrant showy blue flowers.
KNOT-WEED (Polygonum cuspidatum). 6 ft. 8-9. Graceful habit, white flowers,

very rampant growth.

LATHYRUS see Pea Perennial.

LEOPARD'S BANE. Showy (Doronicum plantagineum excelsum). 3 ft. 5-6. A profusion of showy richest yellow flowers.

LIATRIS see Gay Feather, Kansas.

LILY DAY YELLOW (Hemerocallis flava) 3 ft. 5-7. Showy rich golden yellow lilylike flowers in profusion.

THUNBERG'S (H. thunbergii). 4 ft. 7-8. Lemon yellow. Fragrant. Choice. Late blooming sort.

LILY PLANTAIN. Variegated (Funkia lancifolia vgta.) 12 ft. 7-8 Beautifully variegated golden and g een foliage.

White (F. subcordata). 11 ft. 8-9. Fragrant purest white flowers in clusters. Many other Plantain Lillies in stock.

LILY ST. BRUNO'S (Anthericum liliastrum). 11 ft. 6-7. Tall spikes purest white lily-like flowers

LILY OF THE VALLEY (Convallaria majalis). ½ ft. 5-6. Strong clumps

LONDON PRIDE (Lychnis chalcedonica). 3 ft. 6-9. Showy heads of brilliant scarlet flowers

LOOSE-STRIFE (Lythrum salicaria superba). 5 ft. 7-9. Tall showy spikes of rosypurple. Very effective.

LYCHNIS see London Pride and Ragged Robin. LYTHRUM see Loose-strife.

LUPIN, Garden (Lupinus polyphyllus). 3 ft. 6-7. Shows spikes of purple, blue or pure white as desired.

MALVA see Hollyhock Mallow. MONARDA see Oswego Tea.

MONTBRETIA Crocosmaefolia. 2 ft. 7-9. Showy spikes of Gladiolus-like small flowers ranging from golden yellow to crimson

MYOSOTIS see Forget-me-not. OENOTHERA see Primrose, Evening.

OSWEGO TEA (Monarda didyma) 3 ft. 6-8. Brilliant scarlet, richly fragrant flowers in showy heads. PANSY (Viola tricolor). ½ ft. 4-6. A good strain of the highest colored forms. 15 cts.

each; \$1.00 per ten. PEA, PERENNIAL (Lathyrus latifolius). 4 ft. 6-10. Showy clusters of deep pink

flowers. A constant bloomer. PINKS. Scotch (Dianthus plumarius). 1/2 ft. 5-6. Showy double and single white or

pink flowers.
PLATYCODON see Hare-bell Giant. POLEMONIUM see Jacob's Ladder.

POLYANTHUS see Primrose. POLYGONATUM see Solomon's Seal.

POLYGONUM see Knot-weed.

POTENTILLA. Hybrids. 1 ft. 6-9. Double yellow, orange, crimson and red flowers as desired.

PRIMROSE. Evening Young's [Oenothera youngii]. 2 ft. 7-8. Rich golden vellow flowers in profusion

PRIMROSE [Primula]. Hardy. The following Primulas are perfectly hardy and

should be more commonly planted. ENGLISH [P. vulgaris].  $\frac{1}{2}$  ft. 4-6. Showy pale yellow. JAPANESE [P. japonica].  $\frac{1}{2}$  ft. 5-7. Long stemmed clusters of showy crimson

flowers marked with yellow.

POLYANTHUS [P. polyanthus]. 1/2 ft. 4-6. Dense heads of fragrant flowers in all shades of crimson, maroon and yellow with varied markings and single and double forms. One of the showiest hardy early blooming garden plants we have. PYRETHRUM. Hybridum. 2 ft. 6-8. All shades of crimson, maroon, pink and white

in single and double flowers. Mixed.

RAGGED ROBIN [Lychnis viscaria fl. pl.] 1 ft. 6 7. Showy spikes of very double,


fragrant deep-rose-red flowers.
RANUNCULUS see Buttercup.

ROCK CRESS. Alpine [Arabis albida]. 1/2 ft. 4-5. Earliest of all. Pure white, fragrant flowers. Carpet-like growth.

ROSE MALLOW [Hibiscus moschuetos]. 4 ft. 7-9. Large showy rich pink flowers. Handsome in foliage or flower.

RHEUM see Rhubarb.

RHUBARB, Red-leaved (R. palmatum sanguineum). 4 ft. 7-8. Beautiful foliage sub-tropical habit. SIBERIAN (R. tanghuticum). Tft. 7-8. Handsome broad light green foliage.



#### THE BEST HARDY FERNS.

The following are selected because of their hardihood, distinction and easy culture. Numerous other species can be supplied. Special low quotations on large quantities. Ferns are rapidly becoming popular for their beauty of foliage and grace in habit, together with their adaptability to use in shady and moist locations where no other plants may thrive as well.

BOULDER Fern (Dicksonia pilosiuscula). 1 1-2 ft. Pale green, beautifully cut foliage turning creamy white with frost.

CHRISTMAS Fern (Polystichium acrostichoides). 1-4 ft. Evergreen, glossy rich green once divided fronds.

CINNAMON Fern (Osmundia cinnamomea). 3 ft. Immense finely cut fronds. Forms a most effective specimen plant. CRESTED Fern (Aspidium cristatum Clintonianum). 2 ff.

Finely divided fronds of deep green. Very graceful. COMMON Polypody (Polypodium vulgare). 6 in. Evergreen sincly divided fronds. Their is ladge envision.

singly divided fronds. Thrives in ledge crevices.
FLOWERING or ROYAL Fern (Osmundia regalis). 2 ft.
Beautiful habit. Much divided foliage in very broad fronds

MAIDEN HAIR Fern (Adiantum pedatum). 1 1-2 ft. Horizontal beautifully cut fronds held gracefully on ebony black stems.

OAK FERN (Phegopteris dryopteris). 1 ft. Showy triangular light green, finely divided fronds. Elegant habit.

RUDBECKIA see Cone-flower.

RUDBECKIA Subtomentosa. 6 ft. 7-9. Beautiful formed lemon yellow flowers in large and showy open heads.

SEDUM see Stone-crop. SEAL FLOWER see Bleeding Heart.

SEA HOLLY, Blue (Eryngium amæthystinum). 2 ft. 7-9. Odd thistle-like flowers of a rich metallic blue extending to the stems.

SHOOTING STAR (Dodecatheon). 1 ft. 5 6 ft. Beautiful Cyclamen-shaped flowers.

White marked with purple and gold.

SNEEZEWORT, Autumn (Helenium autumnale). 6 ft, 8-9. Showy broad heads yellow flowers

SOLOMON'S SEAL (Polygonatum giganteum). 1 ft. 5-6. White. Graceful.

SPEEDWELL Creeping (Veronica rupestris). 1 ft. 4-6, Dense mat-like evergreen foliage and clouds of richest blue flowers

foliage and clouds of richest due nowers
SHOWY (V. longifolia subsessilis). 3 ft. 7-9. Large dense showy spikes of richest
blue. Indispensible for fall bloom.
SPIRÆA, Palmata (S. palmata). 3 ft. 6-8. Showy loose spikes of rich pink flowers.
QUEEN OF THE MEADOW (S. lobata). 4 ft. 7-8. Deep rich pink.
SPIRÆA, Astilbe-like (Aruncus astilboides). 2 ft. 6-7. Large branched spikes of a

showy creamy white flowers.

GOAT'S BEARD (Aruncus sylvestris). 4 ft. 6-7. Showy foliage and immense plumy heads of showy creamy white flowers. STOCKESIA see Aster Stockesia.

STONE-CROP. Showy (Sedum spectabilis). ½ ft 8-10. Showy flat heads of pink SUNFLOWER Ten Rayed (Helianthus decapetalus). 5 ft. 7-8. Early free flowering, lemon vellow species.

SWEET WILLIAM (Dianthus barbatus). ½ ft 6-7. The best strains, THERMOPSIS Caroliniana. 5 ft. 6-7. Immense dense spikes of rich golden yellow flowers, good foliage and a tendency to constant bloom, This plant will eventually be as much used as the Larkspurs, and is similar in general effect. As a good substitute to the so called yellow Larkspurs, this can be highly recommended.

THOROUGHWORT, Frazer's (Eupatorium Frazeri). 3 ft. 7-8. Dense showy heads of purest white flowers. Fine for cutting.

TROLLIUS see Globe-flower.

VALERIAN, Garden (Valeriana officinalis). 4 ft. 5-6. Dense heads of charmingly fragrant, light lavender flowers.

RED. (Centranthus ruber). 2 ft. 6-8. Dense heads of deep red flowers.

VERONICA see Speedwell. VIOLA see Violet or Pansy,

VIOLET, Horned (Viola cornuta). 1 ft, 5-8. Dark blue, purple or white flowers in profusion.



Viburnums.



# - Manning's Monographs -

A SERIES of booklets to be published from time to time on live Horticultural subjects, in which a careful enumeration will be given of the plants best adapted to the subject under discussion, with general suggestions for their proper use and treatment.

Full of valuable Landscape Gardening hints founded on a full experience of twenty years in this line of work in active design and execution of undertakings in over thirty states of the Union.

## No. 1 (Ready for Distribution)

# Berry Bearing Plants

A description of over 250 varieties of plants with distinctive ornamental value from their fruiting effect, and their proper use in landscape work.

This and other future numbers of MANNING'S MONOGRAPHS will be sent free to customers, and thus replace the ordinary descriptive catalogue which is believed to have passed its usefulness.